610.02 U57c

This issue contains APRIL INDEX.

CURRENT LIST of MEDICAL LITERATURE

Vol.10 April 26, 1946 No.17

SUBJECT GROUPS ACCORDING TO JOURNALS

1. Anatomy; Histology
2. Anthropology; Ethnology
3. Archeology; Paleontology
4. Aviation Medicine
5. Bacteriology; Parasitology
6. Biology; Embryology
7. Bone; Joint; Extremities; Muscle
8. Cancerology
9. Cardiovascular System
10. Chemistry; Physics
11. Dentistry; Stomatology
12. Dermatology
13. Diagnosis; Clinical Methods
14. Dietetics; Foods; Nutrition
15. Digestive System
16. Endocrinology
17. Forensic Medicine; Toxicology
18. Genetics; Eugenics
19. Gynecology; Obstetrics
20. Hematology
21. History; Biography; Bibliography
22. Homeopathy; Osteopathy, etc.
23. Hospitals
24. Immunology; Serology
25. Industrial Hygiene; Sociology
26. Infectious Diseases; Epidemiology
27. Medicine
28. Metabolism
29. Military and Naval Medicine
30. Miscellaneous
31. Neurology; Psychiatry
32. Nursing
33. Ophthalmology
34. Otorhinolaryngology; Phoniatry
35. Pathology
36. Pediatrics; Child Welfare
37. Pharmacology; Pharmacy
38. Physiology
39. Psychology; Mental Hygiene
40. Public Health; Sanitation
41. Radiology; Phototherapy
42. Respiratory System
43. Surgery; Traumatology
44. Therapeutics
45. Tropical Medicine
46. Tuberculosis
47. Urology
48. Venereal Diseases; Sexology
49. Veterinary Medicine
50. Zoology

THE ARMY MEDICAL LIBRARY
Washington, D. C.

The CURRENT LIST OF MEDICAL LITERATURE is for sale by the Superintendent of Documents U. S. Government Printing Office, Washington 25, D.C. : $3.00 per year ($3.75 foreign) 10 cents per single copy. All communications regarding subscriptions should be addressed to the Superintendent of Documents at the above address.

****

Published weekly by the Army Medical Library 7th Street & Independence Ave., S. W., Washington 25, D.C., as an intraservice publication of the War Department. Lists with complete reference articles of medical interest contained in all current journals received. Subject-index provided monthly. Exchange invited.

SUBJECT INDEX
for
Vol.10 Nos.14-16(p.562-751)

April, 1946

(Based on the schedule of subject-headings used by the
(American Medical Association's Quarterly Cumulative
(Index Medicus.)

ABDOMEN
diagn.,639r
drainage,653-1
pain,604p
surgery,638k,649k,663e,704u,716i
tumors,665k,687d
wounds & injur.,583s,648v,669o,694g,716g,h,717j,744b,745f
ABNORMITIES & DEFORMITIES,627j
etiol.& pathogen.,652a,724m
exper.,680j
ABORTION
and syphilis,665p
cpl.& seq.,593k
criminal,701j
etiol.& pathogen.,591p,660d,665b,710w
infectious,642t,u
ABDRODIL,741g
ABSCESS
ischiorectal,744g
parapleural,746a
retrosternal,745h
subpectoral,669d
subphrenic,700g
ACACIA,607f
ACANTHOSIS nigricans,634n
ACCIDENTS,574k,685p
ACENAPHTHENE,673g
ACETABULUM
fractures,588v
ACETARSONE
toxicity,693p
ACETONE
metabolism,570-1
ACETOPHENETIDINE,732f
ACHARD-THIERS syndrome,662-1
ACID BASE EQUILIBRIUM,626a,675f,707q
ACIDOSIS,597s
in cattle,751t
ACIDS,597a,624a
acetic,708a
aminoadipic,673i,674h
aminobenzoic,599f,720q
benzoic,628a,731d
butyric,584o,596m
chloroacetic,708a
cinnamic,596m
citric,630b
dehydroisynolic,599n
fatty,628i,673p,719o
formic,726m
gallic,607i,629t
hydrazoic,600e
lactic,750q
maleic,629v
nitric,597o
palmitic,708f
penicillic,629b
periodic,596m,673p
phenolic,672v
phenylarsonic,563v
phenylpropionic,607g
phthalic,647o,675f
succinic,624k
thioglycollic,562e
uronic,630e
ACNE,therapy,661-1
ACRODERMATITIS atrophicans chronica,634h
ACROPARAESTHESIA,646r
ACTINOMYCES,562g,633v,748u
ACTINOMYCOSIS
cerebral,708-1
cervicofacial,708r
genital,618v
ADENOGRAM,572d
ADOLESCENCE
psychol.,601r
ADRENAL PREPARATIONS,597g,598i
diet factors,570k
eff.,570u,575o,625m,680w,685a
standardization,684t
ADRENALS
anat.& histol.,564n,663h,i,667a
dis.,591t,592d,662-1
eff.drugs,707k
hemorrhage,580i,606u,657v,709b
insufficiency,586j,624w,680v,701q,709d
metabolism,570h,i,679g
pathol.,591q,646m,664s,665b
physiol.,623c,626u,v,663h,i,667b,679v,680e,r,705k
roentgenography,592b
secretion,570t,636w,637a
tumors,591u,v,w,592a,c,668k
ADRENOCHROME,597g,598i
ADSORPTION,630g
AEROSOLS,621u,706h
AGAR
blood agar,562m
AGGLUTININS & AGGLUTINATION
hemagglutination,580q,653e
AGGRESSION,574e,f,736b
AGNOSIA,722d
A.I.,I.B.P.,698r
AIR
analysis,641j
bacteriol.,578a,688u
impurities,727a
pressure,641o,625r,626-1,679v
AIR RAIDS,743u
AIRCRAFT INDUSTRY,700t
ALANINE,597t
ALBA (Duchess) 682u
ALBINISM,637-1
ALCOHOL
production,675m
ALCOHOLISM
cultural factors,719s
diagn.,637h
in aged,677d
in artists,719r
jurisprudence,719u
psychol.asp.,719s
pub.health asp.,719t
social asp.,719t
therapy,676v,677o
ALDEHYDES,672j
ALLOXAN,680p
eff.,680r,w
ALGAE,620n
toxin,726p
ALKALOIDS,596e

ALKALOSIS,597s
ALOE,731r
ALOPECIA
  areata,569g,634m
  psychogenic,722p
ALTHEA,734r
ALTITUDE
  high,587p,609h,623t,625e,f,v,
    678w
ALUMINUM,675g
  oxide,734p
ALUMINUM INDUSTRY,688j
AMBLYOSCOPY,663m,726f
AMEBAE,564e
AMEBIASIS,656v,715k,l
  bronchopulmonary,701o
  cpl.& seq.,575-1
  diagn.,646r
  hepatic,591k,613f,696v,742d
  in infants & children,605e
  pulmonary,742d
AMIDINES,748k
AMINO ACIDS,628u,629-1,673i
  determ.,672r,707s
  eff.,623b
  therapy,707u
AMINO KETONES,682f
AMINOAZOBENZENE,672u
AMINOBENZAMIDE,630o
AMINOPROPIOPHENONE,623d
AMINOPYRINE,607-1,693f
AMMONIA & AMMONIUM cpds.,597b,624a
  nitrate,673u
  sulfate,721h
AMNIOTIC FLUID,709-1
AMPUTATION
  cpl.& seq.,592p,670j
  multiple,670k
  phantom limb,745b
  reamputation,670i
  rehabilitation,670g,m,n,o
  statistics,670h
  technic,614q,703j,743k,744c,745u
AMPUTATION-STUMP,615e,670h,j,716b,
    745c
AMYLASE,628k
AMYLOIDOSIS;634m
  etiol.& pathogen.,700p
  renal,694t
ANAEROBIOSIS,678p
ANALEPTICS,624k,711q
ANAMNESIS,659k,663t
ANAPHYLAXIS & ALLERGY,575n,604g,650t,662t
  blood,635n
  cpl.& seq.,667t,744v
  etiol.& pathogen.,708e
  heterophil,708e
  in infants & children,605w
  insect bites,697v
  insects,666s
  manifestations,721j
  mechanisms,579n,589g
  serum & vaccine,614q,672i
  therapy,707f,712d,726u,730w
ANATOMY
  history,692d
  teaching,657s
ANDROGENS,570j,668k,679i
  eff.,680m,684s
  metabolism,570t,680a
  therapy,570v,731j
ANEMIA,668t
  clin.asp.,695p
  achrestic,572c
  aplastic,693p
  classification,587m
  diagn.,655j,669j,702j,711o,v
  epidemiol.& statist.,696o
  erythroblastic,563r,587p,605i
  etiol.& pathogen.,587n,o,591n,638s,
    652m
  experimental,652n,625j
  hemolytic,605d
  hypochromic,588a,589q,638t,651g,652n
  hyperchromic,625j
  in animals,619u
  in infants & children,576q,730e
  in pregnancy,587o
  of newborn,593o
  sickle cell,638s,690p
  splenic,591h
  therapy,583a,593r,636p,707w,709r
ANEMIA PERNICIOUS
  bone marrow,684o
  therapy,571v,643b
ANESTHESIA,638d,704-1,746i
  alcohol,571d
  apparatus,616r,666t,746k
  barbital,614c,623k,o,679t,686b,693a,
    733d
  blood,624h,690a
  brain,624j
  bromethyl,571d
  chlorethylidiene methylene,614s
  conduction,746h
  curare,691k
  eff.,626g
  ethers,732v
  fluorinated hydrocarbons,733e
  general,746j
  history,639o,698o,733t
  in gynecology & obstetrics,571d,583w,
    593h,686b
  in ophthalmology,744k
  in oral surgery,744k
  in otolaryngology,691w
  intratracheal,691w,746k
  intravenous,584w,662s
  isonipecaine,731u
  nupercaine,593h,663a
  premedication,660g
  procaine,615d,681w,713k,744w,745b
  psychol.preparation,568a
  respiration,622s
  salicyl cpds.,660v
  spinal,616r,654u,661t,w,662q,u,690i,
    700c,743q,746j
  therapy,583j
  trichlorethylene,694b
ANESTHETISTS,743p,746h
ANEURYSM
  aortic,586d,590n,690g,746b
  arteriovenous,613m
  axillary,744f
  cardiac,578m
  cerebral,657e
  congenital,616i
  hepatic,743j
  renal,661v
ANGINA PECTORIS
  cpl.,681u
  diagn.,612h
  electrocardiogram,681w
  etiol.& pathogen.,655f,705r
ANIMALS
  diseases,577h
ANKLE
  fractures,589h
  roentgenography,741i
  wounds & injur.,716u
ANNATTO substitutes,719a
ANONYMOUS LETTER-WRITERS,685h
ANTHRAX
  epidemiol.& statist.,610s
ANTHROPOLOGY,599i
  physical,639k
ANTIBIOTICS,629s,667d,673o,675k,l,
    698r,720u
  metabolism,587u
ANTIGENS & ANTIBODIES,562p,599v,625d,
    689w,720p
  detoxification,720o
  eff.agents,653e
  reactions,576e
ANTI-INFECTIOUS I.B.P.,698r
ANTIMONY
  anhydride,672v
  therapy,697a,737g,740j
ANTIPYRINE,693f
ANTISEPTICS,719k,727a,732a
  history,587r
ANTOINE equation,682e

ANUS
dis.,605-1,650j
fissure,591-1,664a
hygiene,656b
tuberculosis,590j,651i
ANXIETY,622m
diagn.,722i
therapy,690k
AORTA
abnorm.,588k,657u
rupture,659j
stricture,586s,655f,659k,741g
APHASIA,722d
APHIDS,562u
genetics,671h
transmission of dis.,565e
APPENDICITIS
epidemiol.& statist.,636g
in infants & children,730m
mortality,740w
therapy,651c
APPENDIX
anat.& histol.,696t
carcinoid,613h
mucocele,711a
roentgenography,694n
strangulation,662m
torsion,708q,711a
APPETITE
disorders,679f,721k
pica,697w
APPLES,569w
APRAXIA,722d
AQUEOUS HUMOR,603e
ARACHNODACTYLIA,711s
ARGININE,597p
determ.,707s,675t
ARGON,671u
ARMED FORCES PERSONNEL
intellectual aids,594c
psychol.,574e,f
training,574f
ARMIES,609u,714d,t
social structure,574c,d,e
ARMS
artificial,670-1
AROMATICS,682g
ARRYTHMIA
auricular,643i
auricular fibrillation,689t
auricular flutter,695e
bigeminal,689s
sinus,652-1
therapy,703v
ventricular fibrillation,679f
ARSENIC
therapy,667v
toxicity,633p,634d,718p
ART & ARTISTS,601i,609t,719r
ARTERIES
abnorm.,693r,742d
bronchial,690a
carotid,668c,672f,690g,693r,743g
cerebral,570u
inflammation,706u
mesentery,697w
metabolism,623c
occlusion,697s
pancreatic,616i
pulmonary,742d
retinal,603-1
splenic,572e
surg.,743g
umbilical,686u
vertebral,745-1
wounds & injur.,716m,745-1
ARTERIOSCLEROSIS
aortic,659k
cerebral,703g
cpl.& seq.,668i
coronary,659d
experimental,727f
peripheral,691p
ARTHRITIS,702p
fossil evidences,709o
suppurative,745i
therapy,581w,747h
tuberculous,592p,656n
ARTHRITIS RHEUMATOID
in infants & children,728i
therapy,702p
ARTHROKATADYSIS,707a
ARTHRONEUROTROPISM infectious,565j
ASARUM canadense,629s
ASCARIASIS,674w,729q
ASCITIC FLUID,566b
ASCORBIC ACID,569v,576-1,684k
chem.,576k,1,596t,672a
deficiency,635h
determ.,627v,729o
in diet,636a
metabolism,570h,645m,702a,713a
pharm.,708f
sources,577s,628u,644w,731c,g
standardization,628u,644w
therapy,596j,666w
ASPERGILLUS,675k
ASPHYXIA
blood,627f
neonatal,703r,744j
pathol.,679e
therapy,647p
ASPIDIUM
toxicity,739s
ASTHENIA,695s
ASTHMA
cardiac,703g,711v
diagn.,664b
etiol.& pathogen.,666s,692i,698b,704k,727b
pathol.,611v,694w
therapy,668e,691g
ASTIGMATISM,603k
ASTRAGALUS
fractures,613w
ASTROLOGY,667g
ATAXIAGRAPH,609m
ATLAS & AXIS
abnorm.,742p
ATOMIC BOMB,601c,673n,675i,676s
ATOMIC ENERGY,579d,595o,598n,599t,600t,601e,674p,s
ATOMIC WEIGHTS,731i
ATPASE,624g
ATROPHODERMA vermiculatum,634-1
ATROPHY
muscular,626b,677n,721v
unilateral,666b
ATROPINE
antagonists,733b
toxicity,659h
AUSCHWITZ,699m
AUSCULTATION,583f
intrathoracic,650d
joints,702t
AUTOBUSES
hygiene,712j
AUTOMOBILES
for disabled drivers,670o
AUTOPSIES,581s,640d,700e,717e
AVIATION & AVIATORS
hygiene,701f
medicine,601q,716u
physiol.& pathol.eff.,592w,593a,b,623d,624a,q,r,s,t,u,625e,f,r,v,626-1,627a,641c,647s,678w,679c
psychol.,593a,677q

BACK
abnorm.,650u
BACKACHE,612u
etiol.& pathogen.,648f,663u,677r
in soldiers,669n,714v
BACTERIA,598t,599e,672p,689u
aerobic,717u,v,w
alkaligenes,720i
anaerobic,594j,611r,673j,740m
clostridia,672c,674k
coli,562n,626o
culture,597t,699u
culture media,562e,m
cytoplasmic membrane,562k
enterococci,605f
entomogenous,720-1
genetics,600n
hydrocarbon,630e
irradiation,690v
lactic acid group,631t
metabolism,597h,599f,626c,673j
micrococci,592j,628o
monocytogenes,729w
mucosus capsulatus group,652q
pleuropneumonia-like,583r
proteus group,605f
pyocyaneus,619t
rhizobium,674g
serratia,623m
structure,599r,701s
subtilis,595s,597k,673d,r,674d,719e,720j
symbiosis,596u
typhoid group,562j,701d,729i
BACTERIOLOGY
sterility tests,562e
BACTERIOPHAGE,678t
BACTERIOSTASIS,574-1
BALNEOLOGY,667m
BANDAGING,613a,615e
pressure,702q
BARBITAL,607n,617f,629k,733i
tolerance,733d
BARTONELLA
exper.infection,690e
BATH
foot,717q
history,639d
shower,746e
BEANS
dis.,563n
BEAVERS,718w
BED-BUGS,621h,701v
BEDCLOTHES
oil treatment,737d,e,f
BEDS
split mattress,744t
BEETS
dis.,565e,622f,g
BEHAVIOR
disorders,646t,653r,669o,722b,722r
BEHCET'S SYNDROME,633-1
BEIJERINCK'S Method,577g
BELLADONNA,602p,607v
BELSEN,578d
BENADRYL,707f,m,731-1
BENZENE,629b
hexochloride,577n
toxicity,572g,581a,705p
BENZPYRENE,565v
metabolism,565w
BENZYLOYL,563w
BERIBERI,694b
heart,656e,704a
therapy,697d
BERLOCQUE'S dermatitis,634r
BERZELIUS,734j
BETATRON
history,599e
BETEL,566d
BEVERAGES
alcoholic,719t
BEZOAR
duodenal,697w
BIBLE,601j
BIBLIOGRAPHIA araneorum,675p
BIBLIOGRAPHY
indexing,731q
BILE
acids,732f
secretion,732u
BILE DUCTS
calculi,587b,667h
cancer,644c
dis.,704p
surgery,590b
tumors,743n
BILIARY TRACT,701p
dis.,587u,612v,660p,662h,1,705f
surgery,590c,650v,746m
BIOLOGICAL PRODUCTS
preparation,654f
BIOLOGY,622k,678p,707q
BIOPHYSICS,622m,n,o
BIOPSIES,613p
hepatic,713e
BIOTROPISM,750p
BIRDS,601d
BIRTH
season,736-1
BIRTH CONTROL,654t
pub.health asp.,737-1
BISMUTH
therapy,564d
toxicity,643t
BLADDER
calculi,745w
cancer,593i,618n
exam.,639s
foreign bodies,717n,746q
inflammation,712b,i
malakoplakia,618m
measurement,590p
paralysis,658w,706w
surgery,618k,706w
tumors,576a
wounds & injur.,745w,746c
BLASTOMYCOSIS,663q
cutaneous,651u
laryngobronchial,708p
therapy,581d
uveal,724i
BLINDNESS
in naval personnel,717g
prev.,582t
rehabilitation,670w,671a,b
BLOOD,650i,707-1
acid-base equilibrium,627f
antifibrinolysin,688w
antistreptolysin,688w
arsenic,751c
ascorbic acid,654d,729o
bactericidal prop.,720j
bilirubin,638r
biological products,588f
calcium,565r,581i,632q
carbon dioxide,652u
carotene,645a
cells,689w,692g
chemistry,581i,623d,707n,727g,745a
chlorides,704v
chloroxylenol,708g
cholesterol,728j
circulation,566p,587t,616o,624c,i,625n,626f,627e,652s,659m,679r,681v,690a,706-1
coagulation,605p,638v,647j,o,652k,689r,703w,706q
copper,652m
count,563r
disorders,650n,656u
--in animals,751o
enzymes,626d
exam.,652f,663u,692p
fats & lipoids,582q,595w
groups,581q,599v,657p,667o,670e,675w,718v
--Rh factor, 563r,580f,583e,586n,593o,607a,635-1,646a,648-1,665u,686q,707d,720p,727q,730h,739p
in animals,623r

BLOOD (cont'd)
iodine,647r,684w
iron,652m,n
nitrogen,655e
oxygen,623o,652u,680d,735m,738u
penicillin,635m,654a
perfusion,673m
phosphatase,581i,632q,654h,680s
phosphorus,581i
picture,572b,d,702j
plasma feedings,729p
platelets,699k,708e
potassium,704v
proteins,572h,575o,629n,636b,638w,653t,v,657t,663e,672a,i,693r,708b,716k,l,717b
prothrombin,663b,720t
salicylic acid,680u
sedimentation,651d,666c,687e,688t 689r,t
sodium,704v
sulfonamides,575t
thiourea,637c
uric acid,616k
viscosity,578b,652h,671w
volume,580-1,604t
BLOOD AGAR,562m
BLOOD PRESSURE
determ.,566r
in infants & children,709t
low,679i,713e
venous,623w,695b
variations,609r,652r,679-1,s,716q
BLOOD PRESSURE HIGH
cpl.& seq.,577d,666d
diagn.,577d
etiol.& pathogen.,591t,v,w,592a,d 618i,650c,694t,709o
surgical therapy,592c,705i
therapy,572o
BLOOD SUGAR
determ.,714w
in various conditions,624r
low,625w,641n
normal values,695g
BLOOD TRANSFUSION,580-1,638n,666m
blood pressure,679i
cpl.,564a,646c,716q
donors,746v
in infants & children,607a,667o,728b,746w
perfusion,673m
plasma,594m,610m,716r
sternal,571v,712g
substitutes,622w
BLOOD VESSELS
pathol.,570u
peripheral,625t,648g,661d,e,704k,l
physiol.,673q
wounds & injur.,594o,704k,716n,744d
BLOODLETTING,639e
BLUE CROSS,576v,687t
BODY,627n
height,582d
types,736s
BOILING POINT,734t
BOMBAX,595n
BONES
abnorm.,594f,742e
atrophy,742-1
dis.,594w
growth,564p,q,588o,684s
marrow,643h,q,644s,655j,669f,684o,696w,711f
surgery,699m,743w
transplantation,691q
tuberculosis,592p,u,617s,742p,749j
tumors,662k,712r
wounds & injur.,614v,653q
BORASSUS,576i
BORON,644v
BRACHIAL PLEXUS
wounds & injur.,614w
BRAIN,702r
abnorm.,742q
abscess,651k
anat.& histol.,620i,622r,692e
atrophy,665u
blood supply,570u,626r,652r
chem.,657j,692g
cysts,669b
deformity,677t
diseases,643e
electroencephalography,578w,594n,609-1,623f,j,k,625g,h,626n,677f,677q,v,710m
hemorrhage,659e,677w,722i,744n
hernia,696s,703q
localization of functions,622t,624n,694o,735-1
metabolism,625u
pathol.,677k,m,u,744n,r
physiol.,624j,626e,o
roentgenography,651k,699s,745j
surgery,577c,s,646t,677c,w,721i
tumors,643e,648h,650b
wounds & injur.,623n,627j,665u,677k,677u,713u,722i,744r
BREAD,600d
BREAST
cancer,570v,615w,665h,695j
glycogenesis,591i
hypertrophy,726-1
tumors,700i,703r
BROMIDES & BROMINE
eff.,596a
BRONCHI
cancer,585t
dissociated,742d
drainage,587h
wounds & injur.,594t
BRONCHIECTASIS,648k,698g,742m
in infants & children,705j
BRONCHITIS
peribronchitis,703h
BRONCHOPNEUMONIA
in infants & children,705t
in newborn,606b
therapy,590g
BRONCHOSCOPY,591b,604d,639s,654r,655k
BUFFALOES,676o
BURNS,574k,716k
deep,653q
infection,574-1
metabolism,716k
therapy,568r,574j,576v,601o,645u,701b,705a
BURSA
inflammation,572s
BUTANEDIOL,717u,v,w
BUTTER,719a,696k

CADAVERS,682u,702e
bacteriol.,585e
CADUCEUS,639g
CAFFEINE,732f
CALCANEUM
fractures,615k
CALCIFEROL,597o
CALCIFICATION,612g,676i
CALCIUM
deficiency,565o
lactate,582e
metabolism,565r,594g,676i,696h
phosphates,696h
CALGON,741b
CALORIMETER,676f
CAMPHOR
eff.,707n
CAMPTOCORMIA,677r

CANCER,566b,665k,700j
antiserum,707h
chorionic,712p
clinics,665p
cpl.,566e
diagn.,584o,731h
endocrine asp.,570t
epidemiol.& statist.,566g,698u
etiol.& pathogen.,649f,710e,741w
experimental,566a,578-1,636f,672t
heredity,636p
history,656r
immunity,653f
in children,691p
metastasis,665h,741q,745p
mortality,656q
pathology,689i,706g,741m
precancerous cond.,723v
prev.,566h,i,j,587e,611g,637t,664w,713m
social asp.,740n
susceptibility,696q
theories,645h
therapy,580a,612i,645q,658k,690w,711j,742b
CANNABIS,674s,696n,730p
addiction,665n
CANNON,W.B.,694o
CAPILLARIES
fragility,704n
permeability,679m
CARBOHYDRATES,719h
chem.,718-1
in diet,637a,678v
metabolism,598b,627i,659u,684o
CARBON DIOXIDE
physiol.,718u
therapy,702p
CARBON DISULFIDE
detoxication,630-1
CARBON MONOXIDE
determ.,666i
toxicity,645d,706o,712j
CARBON TETRACHLORIDE
toxicity,574n,704d,717o
CARBRITAL,617f
CARDIOVASCULAR DISEASES,651u,677s,727f,g
CARMAN'S meniscus,710r
CAROTENE,569u,718j
eff.,645a
metabolism,751o
CAROTID BODY
tumors,721g
CAROTID PLEXUS,567u
CAROTID SINUS,566n,584w,654r
CARROTS,569u
CARTILAGE,588o
development,684s
transplantation,665g
wounds & injur.,649v
CASEIN,672n
hydrolysate,707n
in diet,696k
CASTRATION,624p,680m
CATALYSIS,682a
CATARACT
cpl.,634u
extraction,724a
CATS,572j
CATTLE
breeding,619p
dis.,751o,t
CELIAC DISEASE,728d
CELL-DIVISION,564f,596f,599r,675v
CELLS,562k,622o
counting,620i
eff.agents,596r
nuclei,674o
pathol.,678o
permeability,565d
physical prop.,675t
CELLULITIS,611r
CELLULOSE
bacteria,562g,598v
hydroxyethyl,727f
CENTRIFUGE
human,623d
CEREBELLUM
localization of functions,679e
physiol.,624-1
CEREBROSPINAL FLUID
diagnosis,723i,
exam.,669i,695v
loss,691i
pathol.,667r
penicillin,652o,654b
pressure,636a
CERIUM,672u,732q
CEROID,726q
CERTIFICATES,MEDICAL,685i,709-1
CESAREAN SECTION,644h
anesthesia,743q
cpl.& seq.,637w
history,571q
CHAFFIN method,612r
CHAGASIA,642o
CHANCRE
extragenital,666h
therapy,564b,590i,595c,j,651p,653q
CHANCROID
pathol.,726r
therapy,669m
CHARITIES,687u,710f,747n
Sisters of the Poor of St.Francis,573u
CHEESE,582o
CHEMISTRY,627s,t,u,,629v,649g,673g,720n
CHEMORECEPTIVITY,564u,698c,r,701s,733k
experimental,707p
methods,563f
CHERRIES,622h
CHILD WELFARE,574s,606q,610t,728i,729k
in Great Britain,699i
CHLORACID,614r
CHLORINE,749d
CHLORONITROMETHANE,596v
CHLOROPHENYLETHANE (DDT),600v,621r,s 621t,622b,661r,719g,740q,751u
metabolism,739-1
preparations,621r
toxicity,577n,w
CHLOROXYLENOL,708g
CHOLERA,715a
vibrio,673i,674h,697d
CHOLESTEROL
metabolism,570h
toxicity,727g
CHOLINE
acetylcholine,596i,623h,626e,650e 697g
carbamyl,625j
deficiency,635r
CHOLINESTERASE,674v
CHONDODENDRON,629h
CHOREA,582h
CHOROID,724a
CHROMATES,688o
CHROMATOGRAPHY,607r,674e,686t
CHROMIUM,668a
CHROMOSOMES,564f
alleles,600-1
arrangement,564p
linkage,600m
tetraploidy,672k
structure,564h
CHRONOMETRY,676e
CHYLOTHORAX,650t,744h
CICATRIX,648q,661p
CILIATES,564d,672p
CINCHOAMINE,596o
CINCHONA
alkaloids,674f,679r
cultivation,575d,731p
CINCHONINE,644i
CIRCUMCISION,618p,750-1
CITRUS,731c
CLAMPS,587s
CLAVICLE,613b,659b,693b,705j

CLEANLINESS,722t
CLIMACTERIC,700j
CLITOCYBINE,674-1
CLOTHING,623p
COBALT
  chloride,596h
  histology,645c
  metabolism,628e
COCARBOXYLASE,626d,628n
COCCIDIOIDOMYCOSIS,714m
COCCIDIOSIS
  bovine,564j
  therapy,619i
COCKROACHES,621n
COLCHICINE,629u
  eff.,673g,674c
COLD
  anesthesia,594o,703j
  eff.,622s,623r,651i,699q
  --on plants,595t
  protection,623p
COLIC,668n
COLITIS
  mucous,667t
  therapy,711n,749g
  ulcerative,591a,605r,660i,689n
COLLETOTRICHUM,622e
COLLOIDS,674u
COLON
  abnorm.,647k
  cancer,656d,694q
  dilatation,692c
  disorders,660h
  mucus,575w,626k
  perforation,611r
  physiol.,679w
  radiography,575w
  surgery,616c,651j
  wounds & injur.,714f,716g,h
COLOR,675d
  measurement,569q
COLOR BLINDNESS,599h,624o
  atypical,723p
  tests,724j
COLOR PERCEPTION,608j,u,672e,736o
COLORIMETRY,569-1,597r
COLOSTRUM,708t
COMA,641n,677a
COMPLEMENT fixation,642g
CONJUNCTIVA
  surgery,603h
CONJUNCTIVITIS
  gonorrheal,605m
  micrococcal,592j
CONSTIPATION,593u
CONTRACTURE
  Dupuytren's,612m
  ischemic,702f
CONVALESCENCE,699a,716j
  metabolism,623b
CONVOLVULUS,598-1
CONVULSIONS,721n
  etiol.& pathogen.,677a
  in children,606e,660s
  therapeutic,586q,594v,617a,664f,
    698k,707q,723b,
  therapy,625u,650k,677u
COOKING,666j
COPPER deficiency in cattle,598q
CORN,718j
  genetics,637o,674c
CORNEA
  conical,723w
  dis.,723u,724k
  pigmentation,723q
  surgery,724n
  ulcers,724r,u
  wounds & injur.,707u
CORONARY VESSELS
  dis.,681o,t
  insufficiency,682b
  occlusion,585p,679f
CORPER test,749-1
CORPORA allata,570m,n
CORPUS callosum,622r,653m
  tumors,741p
CORPUS geniculatum,704d
CORYNANTHIDINE,596e
CORIZA,infectious,751s
COSMIC RADIATION,719g
COTTON seed,622e
COUEism,735s
COUGH
  cpl.& seq.,712h
  therapy,648c
COUMARIN,598f
  eff.,647o
  therapy,647j
COUNTERS,609c,676e,732a
CRANIUM
  abnorm.,729t
  development,620e
  fractures,700d,717p
  prostheses,615t,716o
CRETINISM,625u
CRICETUS auratus,620e,735v
CRICKETS,672g
CRIME & CRIMINALS
  military,574g,h
  psychol.,608-1,685n,o,723c,736-1
CRIPPLES
  care,640d
  employment,573n
CRUORALBIN,644t
CRUSH SYNDROME,625a
CRUTCHES,747g
CRYSTALS,598e,732j
CUMENE,629w
CURARE,629h
  therapy,691k,698h,721-1,743r
CUSHING'S SYNDROME,591q,723-1
CYANIDES,645d,738e
CYANOGEN,680b
CYANOSIS capillary,662j
CYCLANONE,597w
CYCLOPLEGIN,563w
CYMBOPOGON,633b
CYMENE,629c
CYSTEINE,598k,628t

DARRIER-FERRAND tumor,700h
DEAFNESS
  etiol.& pathogen.,625i
  in children,585s
  prev.,602u
  rehabilitation,670p,q,r,u,v,725r
  statistics,670r
  therapy,604i,670s,t
DEATH
  revival,599w
  sudden,581v,592a,615g
DECIDUA,686f
DEFICIENCY DISEASES,593q
  cardiac cpl.,656e
  classification,590d
  diagn.,668q,693p
  in animals,751n
  in women,666v
  manifestations,567k,661s,t,700w
  metabolism,685a
  pathol.,590r
  therapy,640e
DEGENERATION,676i
DEHYDRATION
  blood,652s
  protection,569k
DELINQUENCY,701t,708r,730h
DELPHINIUM,628q
DEMENTIA
  organic,645i
  senile,645n,668i

DEMENTIA PRAECOX
art,601i
psychol.asp.,609t,723i
therapy,593n,643p
DENTISTRY,631j,699n
economics,568h
in Great Britain,739b
med.& dentistry,661g
military,683j
psychol.,631d,683v
statistics,631n
DEPRESSION,722w,723a,e
reactivation,722q
therapy,721s
DERMATITIS
allergic,726w
Berlocque's,634r
factitia,633v
herpetiformis,569c,634u,v,750r
repens,634c
venenata,594i,633r,634r,u,668a,635j
DERMATOLOGY
history,632o
DERMATOMYOSITIS,633v,634j,705s
DESEPTYL,711p
DESIGUARD,569k
DETERGENTS,733k
DEUTERIUM,672u,719j
DEUTERONS,671n
DEXEDRINE,679f
DEXTROSE
metabolism,598b
tolerance,659a,677q
DIABETES INSIPIDUS
pathol.,625k
DIABETES MELLITUS,601t
acidosis,654o
coma,654o
cpl.& seq.,651j
diet,627c
endocrine asp.,570i
etiol.& pathogen.,699s
experimental,680p,q,w,704h
history,645v
kidney,705m
nursing,601t
pathol.,625-1
pregnancy,686f,728a
psychogenic,722p
public health,601u
sex factors,681a
therapy,701m
DIACETYL,628j
DIAGNOSIS
anamnesis,659g,663t
early,589-1,661j
errors,687f
surgical,584r
DIAPHRAGM
wounds & injur.,745f
DIARRHEA
diabetic,651j
etiol.& pathogen.,605f
fatty,715g
in infants,604v,605g,606q,652q
infectious,604w,728r
therapy,582-1,643c
DIASONE,694k
DIATHESIS
hemorrhagic,587i,746w
DIET
adequate,663s
exper.stud.,647u
military,570c,714d,t
naval,570c
pathol.,726q
therapy,570d
DIGESTIVE TRACT
dis.,651h
--in soldiers,636-1
DIGITALIS,693n
eff.,650a,695b
standardization,695i,733c,s
toxicity,732s
DINITROPHENOL,688n
DIOXANES,607e
DIPHTHERIA,646s,715m,n
antitoxin,608d
bacilli,714c
carriers,604u
diagn.,714c
epidemiol.& statist.,588m,688r,708v
immunity,715f
mortality,738p
prev.& control,738p
therapy,715n
tongue,644k
toxin,562p,675s
DIROFILARIA
vaccine,737i
DISABLED,616w
classification,604j
evaluation,641m,660v,662s,711s
rehabilitation,640h,641b,746f
DISASTERS
med.asp.,574j,k
DISEASE
chronic,573d,739f
functional,709q
ment.phys.rel.,613a,636o,677c,700p
701e,710w,714e,715q,722s
rare,584h
DISINFECTANTS,562n
DISLOCATIONS
congenital,615p
DISSERTATIONS,592e
DISTEMPER
etiol.& pathogen.,707i
DIURESIS
disorders,735-1
eff.drugs,626g,663n
DOCUMENTOLOGY,685g
DOMESTIC SERVANTS,685i
DRAWINGS,601i,722r,728a
DROP-COUNTERS,732a
DRUGS,734d
addiction,719u
colorimetry,734w
dispensing,734n
eff.,732m
eruptions,660s,699-1,727b
metabolism,676m
new,581o
standardization,733i
sterility tests,562e,733n
toxicity,595r
DUBLIN MORO test,654w
DUCTUS arteriosus,566t,589f,729d
DUMPING SYNDROME,743h
DUODENUM
bezoar,697w
cancer,616b
obstruction,586r,613j
stasis,587d
surgery,708o
DURA MATER
tumors,579e,660o
DUST
analysis,740i
control,737d,e,f
DWARFISM,656g,696c
DYES,562c,729q
DYSENTERY
bacilli,562j,605f,642c,737q
carriers,642c
cpl.& seq.,702n
immunity,642h
in armed forces,717h
shipboard,717d
therapy,642b,696v
toxin,650e
vaccine,720o
DYSMENORRHEA,604o
DYSTROPHY
muscular,606m

EAR
internal,577c,606v,679h,726a,b
prostheses,670t
roentgenography,577c
surgery,665g
tympanic membrane,648f
wounds & injur.,601e,648f,679h
ECHINOCOCCOSIS
epidemiol.& statist.,610q
in animals,610r
ECLAMPSIA
pathol.,684u
ECONOMICS MEDICAL,648-1,659c,1,701j,
710f,h,743p
accounting,584e
plans,573q,585u,704f
ECTODERMAL DEFECTS,730a
EDEMA,634b
etiol.& pathogen.,591a,692-1,698a
hereditary,605h
traveller's,646v
EDESTINE,597p
EDUCATION
psychol.,662w
EDUCATION MEDICAL,657s,694n,699f,
730b
in Germany,659u
in So.Carolina,698w
EFFUSAN 3436, 581a
EGGS,680-1
bacteriol.,718g
dehydrated,569r,s,718b,e
EGG-WHITE,598k,673p
ELATION,622m
ELBOW
surgery,714f
ELECTRIC ARC lamps,741j
ELECTRICITY
injur.eff.,677s
ELECTROKYMOGRAPH,626s,679-1,690b
ELECTROMETRY,597v
ELECTROPHOTOMETER,569m,595p
ELECTROTHERAPY,626b
ELEMENTS,645c,719p
ELEPHANTIASIS
genital,618v
EMBOLISM
cardiac,707u
epidemiol.& statist.,686v
etiol.& pathogen.,652b
gas,707u
pulmonary,706s
renal,657e
EMBRYO
laboratory use,707p
EMBRYOLOGY
human,647u
volume changes,620d
EMETINE,733m
EMIGRATION & IMMIGRATION,583k
EMOTIONS,622m,625c,650o,710w,735-1
EMPHYSEMA
in infants & children,705t
interstitial,649n
mediastinal,606i
pulmonary,577b,611v
subcutaneous,651j
therapy,691g
EMPOASCA,600w
EMPYEMA
in infants & children,580v
tuberculous,643-1,702i
EMULSIN,674i
EMULSIONS,678m,733g,737d,e,f,732o
ENCEPHALITIS
cpl.& seq.,646t
etiol.& pathogen.,604r
pathol.,677v
therapy,576d
vaccine,707g
ENCEPHALITIS EPIDEMIC
epidemiol.& statist.,737j
sequelae,677n
transmission,653d
virus,653c,d,720g
ENCEPHALOMYELITIS
equine,653b,707f
in animals,676o
ENDAMOEBA
histolytica,563g
ENDOCARDITIS
infectious,566t,581w,584p,594u,
653w,668m,681p,686g,691n,o,693e
694r,700a,704t
ENDOCRINE GLANDS
dis.,570t
ENDOCRINOLOGY,650o,653p,677f
ENDOMETRIOSIS,638g,652c,658s,686k
appendiceal,638g
pathol.,575v
ENDOMETRIUM
dis.,576e
transplantation,637s
ENDOSCOPY,613p
ENEMATA,626j
ENERGY,599t,671o
ENTOMOLOGY
in Mauritius,621j
ENZYME THEORY,732m
ENZYMES,620q
EOSINOPHILS,572b,581p,635n,644b,662p
668o,701o,742o
EPHEDRINE
eff.,572o
therapy,691g
EPIDEMIOLOGY,577h,698c,737f
experimental,583n
Iraq,582p
methods,689u
mil.,688u
EPIDERMOLYSIS bullosa,635g
EPIDIDYMIS
tumors,590m
EPILEPSY,663q,677f,709k
diagn.,643e,665u
etiol.& pathogen.,654r,721n
therapy,625u,655-1,677u,730v
EPIPHYSES separation,605g,662a
EQUILIBRIUM,626h
EREMOTHECIUM,673h
ERGONOVINE,616s
ERGOSTEROL,597c
ERYSIPELOID,632v,699n
ERYTHEMA
annulare,709v
induratum,633t
multiforme,603g,633c,635b
nodosum,689b
streptogenes,633c
ERYTHROBLASTOSIS,657v
etiol.& pathogen.,576q
fetalis,593o,606a,638u,646b,656k,
668d,727p,q,728j
ERYTHROCYTES,656k,735m
elliptical,690p
morphol.,651g
permeability,719j
physical prop.,718o
radioactive,625n
respiration,626u
target area,676k
ERYTHRODERMA,594h
ERYTHROIDINE,731v
ERYTHROL nitrate,607k
ERYTHROSIS,706j
ESOPHAGOSCOPY,654r
ESOPHAGUS
atresia,656w,666q
cancer,581-1
dilatation,695e
dis.,636m,742c
hypertrophy,728m
stricture,593p
wounds & injur.,746c
ESTROGENS,570o,624-1
chem.,675a
circulating,707t
determ.,627w
eff.,570i,w,598w,599a,620f,623q,
626d,628g,679s,680i,684t,702s,
705s

ESTROGENS (cont'd)
in urine,570o
metab.,625o
preparations,591-1
therapy,591p,686d,687g,703m
ESTRUS,620e
induction,619m
ETALATE,617e
ETHER,607w
bactericidal eff.,699u
ETHICS MEDICAL,699b
ETHMOID BONE
surgery,604e
ETHMOID SINUS
cancer,578n
EUGENICS,677e
EUPHORIA ,592k
EUSTACHIAN TUBES
irradiation,603u
EVOLUTION,678s
EXANTHEMS,576f,634o
EXERCISE,626h,706s
EXHAUSTION SYNDROME,676u
EXHUMATIONS,682u
EXOPHTHALMOS,636s
EXPECTORANTS,647q,648c
EXPLOSIONS,583u,618q,648f,669q
EXTREMITIES
artificial,670k,l,m
blood supply,614t
immobilization,704r,w,705f
wounds & injur.,715u
EYE CUP,724o
EYELIDS
dis.,714r
ectropion,723v
ptosis,603m,681u
surg.,603f,694-1
EYEPADS,725o
EYES
aberrations,603n
abnorm.,724m
accommodation & refraction,6031, 624o,723s,724b
artificial,669r,670w
dis.,711-1,723t,724r,t
exam.,648w
foreign bod.,603d,723u
nutrition,603q
paralysis,593e
surgery,724b,u
transplant.,724-1
tuberculosis,603-1,m,607b,749m
wounds & injur.,578h,669q,716p, 724j

FACE
deformities,725-1
surg.,568e,568q,615s,6321,648q, 702t,725p
tumors,579i,632m
wounds & injur.,594r,615s,716d
FALLOPIAN TUBES
mucosa,571k
tuberculosis,583c
FAMILY WELFARE,699v,739d
FAMINE,674o,696m
FASCIA transplant.,603f
FAT,731q,732h
chem.,678m
in diet,635v,635w,651h
pathol.,727i
FATIGUE,6231,j,626h
FAVUS
avian,712w
FEAR,696d,736a
FECES
exam.,739r
fat in,715g

FEEBLEMINDEDNESS,677e
foreign asp.,688a
in soldiers,595h
roentgenography,742m
FEMUR
fractures,716a,715w,745t,746e
osteomyelitis,576p
FERMENTATION,620q,644u
bacterial,674k,717u,717v,w
FERTILITY,649h,699j
FETUS
death,575s,686f,q
FEVER
obscure,661i
premenstrual,686m
therapeutic,589a,
therapy,667u,707n
FIBRIN,707u
FIBRINOGEN,689r
FILARIASIS,748o
diagn.,642e
immunity,737i
therapy,737g
FILTERS & FILTRATION
bacterial,733r
FINGERPRINTS,685f,j,k
FINGERS & TOES
abnorm.,615m,637m,742e
cysts,615j
dis.,657m
dislocations,745k
wounds & injur.,745s
FIREARMS,history,687n
FIRES,574k,610t
med.asp.,574j
FIRST AID,662f
FISHES
parasites,562v
FISTULA
alveolar-antral,725h
anal,651i,708n
appendico-ileal,613i
biliary,705o
cholecystogastric,705o
colic,697-1
congenital,633n
esophageal-tracheal,666q,656w
labyrinthine,604c
oromaxillary,726c
roentgenography,745d,p
urethral,618o
vesicovaginal,590n,612r
FIXATIVES,707j
FLAGELLATES,620n
FLAVONES,588b
FLEAS,739q
FLIES
allergy,666s
eradication,577-1,740q
FLUID CONTAINERS,640g
FLUIDS,630a,645h,708j,733q,745a
phys.prop.,596c,w
sterile,733r
FLUORESCENCE,595p,596-1,718s
FLUORIDES,688j
therapy,632e
toxicity,583b
FLUOROSCOPE,690b
FOERSTER'S SYNDROME,728c
FOLLICULITIS decalvans,569b,635h
FOOD,737t
adulteration,594m
allergy,581c
color,569q
dehydrated,737o
flavorings,684j
poisoning,582o,661s,717q,738o
preservation,684k
FOOT
fractures,612w
physiol.,572r
strain,647m,716s
trench,417e,715-1,m
tuberculosis,743a
FORCEPS obstetrical,645-1,686p

FOREARM
fractures,710w
FOREIGN BODIES
in air & food passages,643v,646u,725u
localization,594-1,611t,714o
FORMALDEHYDE,596b,r,628f
FOURNIER'S syphiloma,632v
FOXES,751n
FRACTURES
cpl.& seq.,714h,745v
compound,666o
healing,592q,707q,746u
therapy,612h,613q,662c,665t,704e,716a,742w,713t
FRAMBESIA
epidemiol.& statist.,568w,569a,632s,643s
FRONTAL SINUS
surg.,604f
FROSTBITE,
diagn.,614t
pathol.,625t
therapy,614t
FRUCTOSE,599b
FRUITS & VEGETABLES,569w
cooking,577s,731g
preservation,576-1
FRUSTRATION,736e
FUADIN,578u
FUCHSIA,607o
FUMIGATION,738e
FUNGI,577g,748s
airborne,726w
chem.,675k,l
eff.radiations,563k
FUNGICIDES,563j,621p
FURUNCULOSIS,634f
FUSOSPIROCHETOSIS,568c,647m

GALACTOSE metabolism,598b
GALLBLADDER
dis.,577w,703i,706i
exam.,582o
perforation,665m
surgery,616e
GAMMEXANE,577n
GANGLION
stellate,592m,746h,n
GANGRENE
aseptic,604u,728c
etiol.& pathogen.,576t,579h
gas,608a,614q,716o,744g,745j
GAS poisoning,735n
GASTROENTEROSTOMY,588-1,743h
GASTROINTESTINAL TRACT
anat.&histol.,compar.,564r
dis.,582i,701e,715q
hypertrophy,728m
innervation,679f
musculature,728m
roentgenography,572m,590h,710q,714m
surgery,746r
GENETICS,637-1,690v
GELATIN,667b,673p
GENICULATE BODY,721p
GENICULATE SYNDROME,704d
GENITAL DUCTS,620-1
GENITALS
abnorm.,660d
anat.,comp.,673v
cancer,731j
dis.,618v
tuberculosis,583c,686j
ulcers,633-1
GENITOURINARY TRACT
abnorm.,606h
development,620-1
foreign bodies,613i
in animals,620p
pathol.,660e
wounds & injur.,667n
GENTIAN VIOLET,729q
GEOGRAPHY MEDICAL,582p,601a,648e
GERIATRICS,677d,691t
GERMICIDES,673o,698r
GLASS,595o,675d,675e
GLAUCOMA
congenital,603h
etiol.& pathogen.,723u
therapy,603g,723o,725o
GLOBULIN,562p,595w
placental,581b
GLOTTIS
edema,702d
GLUCOSE,652t
GLUTENS,671r
GLYCERINE,697i
GLYCEROL,727a
GLYCINE,598k
GLYCOCOLL,597o
GLYCOGEN,591i,596a,596g
in central nerv.syst.,625w
GLYCOANILIDE,731w
GLYCOLS,733g
toxicity,688m
GOITER,729h
GOITER EXOPHTHALMIC
cpl.& seq.,648h
therapy,692b
GOITROGENS,684v
GOLD
eff.,654d
toxicity,635g,658h
GONADOTROPINS,570t,619m,626v,679k
GONADS
insufficiency,591o
GONOCOCCI
cult.,628n
GONORRHEA
diagn.,650i
therapy,575s,583g,584n,595b,618s,645k,646t,666f,698k,729b,750o
GOUT,589u
GRANULOCYTOPENIA,572j
etiol.& pathogen.,707r
malignant,649c
therapy,717m
GRANULOMA
inguinale,613g
GRAPES,667o
GRAPHOLOGY,685g
GRASS,635j
GRAVITY,624a,q,r,t,u,679c
rate of free fall,679b
GREGARINA,563c
GROIN
wounds & injur.,648v
GROWTH,622o
exper.stud.,582d,620g,696k,702s
in insects,597f
in plants,628h
GUILT determination,608-1
GUMS
dis.in pregnancy,630r
GYNECOLOGY,687f
GYROPIDAE,678j

HABERMANN'S dis.,634-1
HABIT,571i
HABRONEMA,585j
HAEMATOSIPHON,701v
HAIR
color,722p
hygiene,579v
permanent waving,607s

HAND
deformities,565k
infections,584v,657g
photography,714n
prosthesis,670m
wounds & injur.,745s
HANDWRITING,645g
HAPTOGLOBIN INDEX,572h,i,j
HARELIP,567d
HAY FEVER
epidemiol.& statist.,748p
etiol.& pathogen.,726v
immunity,727c
therapy,655v
HEAD
development,564s
wounds & injur.,581h,662e,669u,677k,691i,695w,716p,721w,723i,744n,q
HEADACHE,734a
etiol.& pathogen.,717f
mechanisms,666s
reflex,725n
therapy,567u,584w,660g
tropical,717e
vacuum,717f
HEALTH EDUCATION,701w
HEARING
in animals,608k
tests,725d
training,726h
HEART
abnorm.,566t,590s,617n,657b
block,566o,643i,681s,695e,f
blood supply,587t
calcification,571m
conductive system,580t,739m
dilatation,644p,695f
dis.,566u,591k,648b,695d,699g
eff.drugs,596i,695b,i,732s
electrocardiography,566q,585m,612h,643i,644q,648b,681w,692o,695j,e,717o,730j,733c
esophago-cardiogram,650c
fibrosis,661a
foreign bodies,615f
function tests,652-1,655k
insufficiency,593u,653j,695b,706-1
perfusion,673m
physiol.,652r
rate,626h,727s
roentgenography,623v
rupture,691r
tumors,726n
vectorcardiography,566q
wounds & injur.,614v,615f,691r,715f
HEAT
eff.,626p,678o,679j
hygiene,647u
regulation,623p,626f,679a
stroke,644o,662t,679j
HEBERDEN,577o
H.11 extract,658k
HELIOTHERAPY,745c
concentrated,745o
HELMINTHIASIS in animals,751r
HEMATEMESIS,605j,663w
HEMATOMA
pulsating,582e
therapy,697u
HEMATOXYLIN,748g
HEMIPLEGIA,566n
HEMOGLOBIN,572d,i,j,622w,638r,644t,652u,680t
inactive,720v
regeneration,600u
HEMOLYSIS,572i,735m
HEMOPHILIA,711d
blood,638w,699k,720t
HEMORRHAGE
blood,644s,655j
cpl.& seq.,626n,680f
diagn.,652j
etiol.& pathogen.,615a
experimental,673q
heart,679f
intra-abdominal,612t,616i
therapy,587c
HEMORRHOIDS,710h
HEMOSTASIS,615e
HEMOTHORAX,715j,716e
HEPARIN,630e,647j
HEREDITY
in disease,677e
mechanism,564m
HERMAPHRODITISM,719n
HERNIA,685e
caudal,706r
diaphragmatic,612f,616a,657n,668v,710t
--in cattle,751u
femoral,662m
inguinal,583t,616m,644g,649k,743i,746d
mesenteric,577u
strangulation,613e
therapy,580u
umbilical,649p
HERPES zoster,691s
geniculate,704d
HERTWIG-MAGENDIE phenomenon,593e
HESSIAN FLY,621v
HETERODERA,678d,719m
HIP
deform.,613v
dis.,565-1,592r,657t,742e
dislocations,592p,694m
fractures,616e
ossification,615p
surgery,742v
tuberculosis,742v
wounds & injur.,745t
HISTAMINE,589g
anti-substances,679w,680f,731-1
eff.,600g,707m
ointment,572s
therapy,647b
HISTIDINE,707s
HISTOLOGY,687j,707j
HOBB'S treatment,697i
HODGKIN'S DISEASE,
abdominal,741r
in children,660f
HOMEOPATHY,639v
associations,639w
HOMICIDE,662o,663a,682u
HONEY,684j
HOOKWORM INFECTION,663v
anemia,664d,694g
in infants & children,589q
therapy,748n
HOPS,607o
HORMONES
antihormones,591p,626v
plant,672d
sex,624p,638h
HORNER SYNDROME,717k
HOSPITALS,601o,640i
administration,573m,602k,640o
communicable dis.,728n,739b
dental serv.,683n
dietetics,570b,d,640s,648k
economics,573o,m,q,701i
geriatric,702k
group hosp.insurance,576v,584h,687t
heating,573i
history,731h
in Australia,573i
in Boston,573t
in Canada,573a
in Ecuador,737w
in Great Britain,646w,703d
in London,590u
in Mexico,575q
in Panamerican countries,610e
in United States,573g,l
maternity,686a,l
military,581e,595f,669p,670d,688g,743v
obstetrical serv.,573u
pathology,640r
pediatric serv.,573v
pharmacy,573o,731h

plans,640k,l
psychiatric,573h,647b,677g
public relations,640e,688e
records,573s,640g,m,688b
recreation serv.,640n
roentgen ray serv.,611q
small,573b,640j
staff,573q,640q,688f
veterans',688d,f,701j
voluntary,640m,687u
HUMERUS
fractures,592s,662e
HYDROCARBONS,630e
cancerogenic,672t
fluorinated,733e
toxicity,749d
HYDROCEPHALUS,643e,742q
therapy,586-1,683d
HYDROCOTYLE asiatica,589v
HYDROGEN,597m,672u
HYDRONEPHROSIS,618k,657u,668b,750i
cpl.& seq.,595j,586r
etiol.,669b
therapy,661w
HYDROTHERAPY,667m
HYMEN,cancer,614a
HYOSCINE therapy,732m
HYPERTROPHY idiopathic muscular,728m
HYPHOMYCETES,678e
HYPOTHALAMUS
pathol.,566e,677-1
HYPOXANTHIN,674v
HYSTERIA,655b,691i

ICONOMETROGRAPHY,627n
IDENTIFICATION,687b
cards,685e
IDIOCY
mongolian,577u
ILKOVIC equation,629e
IMIDAZOLES,651r,707k
IMMUNITY,575o,689w,701s,707d,720o
in infants & children,588c,651c
nutrition factors,642e
IMPETIGO
contagiosa,644i
herpetiformis,634v
IMPOTENCE,686t
IMPREGNATION,624m
mechanism,624f
INANITION,625o
INDIANS,620t,639c,648d
medicine,639d,648c
INDUSTRY & OCCUPATIONS
dis.& pois.,574o,578j,580b,640w,641i,688m,n,700t,706o,740i,749d
hygiene,578i,604j,617c,641e,641h,684e,688j,k,l,695s,700u,737p,740i
med.& surg.,578h,601q,602c,604j,k,617b,641a,b,c,e,667n,q
--New Haven Industrial Med.Serv.,580c
nursing,602b,r
INFANT WELFARE,728w
INFANTILISM,696c
INFANTS
dis.,728h
feeding,638c,661k,729q,730e
mortality,589j,605b,610n,698b,728e
newborn,604u,687b,727r,728r,729p
nutrition,643d,666-1,747a
premature,584c,601u,685v,686r,728e,739g
INFECTION
blood,652m
droplet,578a,739b
dustborne,737d,e,f
etiol.& pathogen.,586j
focal,567u,617c,664v,665b,t,697-1
mechanism,579d,n,689v
pathol.,646m
therapy,667f,698r,729s
INFLAMMATION,701n
therapy,661p
INFRARED RAYS,596t
INFLUENZA
epidemiol.& statist.,584j,748h
manifestations,604q
prev.& control,664k
therapy,584k
virus,584k,675r
INHALATION therapy,666p,702p
INJECTIONS,733q
app.,691s
intra-arterial,664r,679d
intramuscular,595r
intravenous,595r,658u,679d,720i
INOSITOL,596n
INSANE
care,640-1,677g
welfare,735r
INSANITY
communicated,721p,722m
manic depressive,668o
paraphrenic,709b
presenile,665u
therapy,721s
INSECTS,621o
allergy,666s
bacteria,720-1
biology,565a,597f,678s,718p
bites,697v,701v
chemoreceptivity,564u
development,570m
eradication,577m
INSECTICIDES,564k,599b,621f,i,n,p,u,v 730t,731o,733k
repellants,577-1,621q
sprayers,577m
INSTRUMENTS,587s,613j,675p,699m,744s,746r
INSULIN,679u
eff.,626d,680j
therapy,643o,649b
toxicity,578e
INSURANCE
malpractice,660k
sickness,586h,638d,699e,737v,738a
surgical,710h
INTELLIGENCE,609r
genius,702r
INTERFEROMETER,676d
INTERMEDIN,673a
INTERVIEWING,601v
INTESTINES
absorption,636n
anastomosis,577t
cancer,691r
dis.,592h,613c,h
diverticula,648j,653m,659v
extracts,627g
hypertrophy,728m
motility,745g
obstruction,578p,616-1,643j,648d,658q,686r,692r,698-1,706c
parasites,643n,648f,704h
perforation,646u
pharmacol.,654-1
protozoa,748g
roentgenography,684n
rupture,703p
surgery,656d
tuberculosis,636k
tumors,681j
volvulus,647k,657q,744g
INTRADERM,726u
INTUSSUSCEPTION,648i,730k
etiol.& pathogen.,659v,702n
INVERTEBRATA,678p
IODINE
determ.,608e,735h
eff.,647q,r
therapy,697i
IONIZATION,600f,671o,690u

MALARIA (Cont'd)
terminology,610d
tertian,577t
therapeutic,579t,
therapy,563f,581p,622v,625a,629m, 6441,657i,689q,702g,715e,719i, 748b,r
toxin,581p
transmission,585b,f,n,642m,693k
work capacity,679p
MALINGERING,696d
MALLEOLI
fractures,741i
MALLOPHAGA,585g,678k
MALPRACTICE,647j,660k
MAN
prehistoric,675a,709o
MANNITOL,630k
MARCHIAFAVA-BIGNAMI dis.,653m
MARFAN'S syndrome,711s
MASCULINIZATION,657-1,712o
MASSAGE,747e
MASTICATION,568f,685k
MASTOID
surgery,582q,725t
MATERIA MEDICA,731f,733w
MATERNITY
mortality,644d,657k
social asp.,571i
welfare,610s,646p,686-1,737v
MAXILLARY SINUS
dis.,580r
foreign bod.,725f
MEASLES,therapy,581b
MEAT
dehydration,569p,r,684f
MEDIASTINUM
cysts,743f
dis.,725v
displacement,729u
surgery,615w
tumors,694j,706e,727w,744j
MEDICINE,667m
clinical,586-1
errors,638a
history,572v,592e,n,639d,m,n, 682u,713-1
in Canada,713-1
in China,572v,640f
in Ecuador,737v,738a
in France,713-1
in India,693j,698d
in Japan,652b
in Kenya,694e
in Nebraska,585u
in Portugal,579m
in Yakima,704f
institutes
--Lister Institute,598s
--Liverpool,602-1
Moslem,691t
preventive,632i,700u
racial,703f
rural,699d,703f
socialized,585t,659p,691t,692j, 694e,n,699b,738a
state,582a,698d,738h
MELANCHOLIA,722q,w,723e
diagn.,722w,723a,h
therapy,721s
MELANOKINESIS,673a
MELTING POINT,732b,732h,i
MEMBRANES,598v
permeability,565d,622p
MEMORY
aids,602o
disorders,623n
MENINGES
diseases,576d
hemorrhage,668u
tuberculosis,606v,w,667r
MENINGITIS,646n
acute,697a
cpl.,& seq.,644k
influenzal,605b,v,702c
listerella,729w
meningococcic,717m
pneumococcal,583a,602n,649c
serous,677v
therapy,576o,657m,713i
MENINGOCOCCI
infection,576t,606v
MENOPAUSE,734b
surg.therapy,637s
MENSTRUATION
blood vessels,704n
delayed,691e,616q,638m,686m,708p
inception,600h
mechanism,643g
MENTAL DISEASES,676u,722m
diagn.,723h,l
etiol.& pathogen.,683v,695c
heredity,668o,677e
in armed forces personnel,657r,695r, 722u
in infants & children,655g
psychopathology,609p
surgery,573j,577c
therapy,721s,593n,677d,702m,723b
traumatic,721w
typology,722g
MENTAL HYGIENE,648n,655u,696d,735s
hospitals,640o
in Eire,581m
industrial,640v,656m
postwar problems,722a
MENTAL TESTS,608v,w,609a,b,h,l,q, 677i,722k,736f,736r
Rorschach,677p,674t
in animals,609r
machines,609c
MERALGIA paraesthetica,588s
MERCURY
pharmacol.,732a
MESENTERY
tumors,702b
METABOLISM,680o
apparatus,676n
disorders,694v
endocrine factors,636w
exper.stud.,637c
variations,609q
METACARPUS
osteomyelitis,662n
METALS,627t,u
METAMORPHOSIS,678s
adrenals,564n
METATARSUS
fractures,742s
METEOROLOGY,601a,664j
METHANE,597n
METHERGINE,616s
METHIONINE,625o
METHYL ALCOHOL
toxicity,594h
METHYL GLUCOSIDE,607e
METHYLCHOLANTHRENE,566a,650b
METRAZOL,625u
MEXICO,600p
M-4888,702g
MICE
genetics,637o,671j
MICROCYSTIS aeruginosa,726p
MICROFILM readers,611j
MICROMONOSPORA propionici,562g
MICROPROJECTION apparatus,714q
MICRORADIOANALYSIS,595t
MICROSCOPE,649f
electronic,597d,646f,676f,701s
equipment,714e
protonic,673t
MICROTOMY,620i
MIGRAINE,571o
therapy,647b,660g
MILIAN effect,750p
MILITARY MEDICINE,594d,655p,670c,700s
amphibian,714s
anesthesia,700t,714k,716i,746i
apparatus,669q

MILITARY MEDICINE (Cont'd)
blood transfusion,700b,713r,714u,716q,r
convalescence,716j
dermatology,715s
history,580n
in Brazil,581e
in Russia,602o
neurology,661r
neuropsychiatry,574e,574g,595i,641o,657r,669o,676r,s,t,v,677b,h,695n,695q,r,v,696d,699k,710-1,714g,i,715p,721s,722u,736k
nutrition,714d,t
ophthalmology,669u,714k
physical med.,661o
roentgenography,714m
surgical technic,581e,614-1,m,n,s,645r,656v,669u,700s,708s,710-1,713t,715u,716i,744o,q,745q,746f
training,595h
troop trains,688u
wounds & injur.,669o,714f,716u,743e,743u,744b
MILK
acidity,628r
ascorbic acid,635s
dried,684g,718c,d,e
disinfection,596k
exam.,708t
glycogen,591i
human,628i,654g,702a
in diet,663r,w
pasteurization,590-1
purification,596v
rat's milk,636c
substitutes,717r
supply,699n,714-1
MILKWEEDS,718g
MINERALS
dynamic action,672q
metabolism,636w,694v,696h
MINES & MINERS,617b,649v
hygiene,738f
MITES,563a,620q
eradication,751u
MITRAL VALVE
pathol.,726o
MOLDS,allergy,726w
MOLECULES,597w,673o
MONONUCLEOSIS
infectious,606s,652v,668h,695c
MONSTERS
acardiac,571r
thoracopagus,602h
MOON,719g
MORPHINE,607i,607j
allergy,626n
MORPHOGENESIS,564m
MORPHOLOGY,plants,599m
MOSQUITOES,585b,n,621g,j,k,w,622a,642o,719b
eradication,577-1,598g,621r,622b
membrane feeding,563f
transmission of dis.,585f,653d,690d
MOUTH
cancer,681f
cysts,682q
dis.,567g,k,617c,640w
disinfectants,562n
surgery,614g
MOVEMENTS,647s,t,709s,732m,736k
disorders,593d,
psychomotor,679v
recording,679-1
MOVING PICTURES,583c
MUCUNA,576h
MUCUS
chem.,680b
MUSCLES
anat.& histol.,564g
chem.,680c
contraction,626t,653n
exam.,704u
extracts,672o
facial,711g
hypertrophy,728m
innervation,595u,597s
myoidema,617j
pathol.,626b,699r,717-1
pectoral,643c
physiol.,623i,624v,625i,626o,t,650e,697g
plantar,704u
psoas,589k
syphilis,721v
tonus,587c,626t
training,650q
MUSTARD analysis,735f
MUTATIONS,599v,671i,674j,719k
MYCOINS,587u
MYCOLOGY,577g
MYCOSIS,585d
avian,712w
cutaneous,593n,645u,726w
fungoides,632s,635b,664f
therapy,717i
MYELITIS,728q
MYIASIS
aural,646v
MYLOHYOID ridge,683b
MYOPIA,603k
MYOSIN,624g,718t
MYOTONIA
congenita,593-1
MYTHOLOGY,601j
MYXEDEMA,635f
blood,591n
congenita,728d
heart,681u
pretibial,648h
MYZOMYIA,740d

NAGA sore,697h
NAIL POLISH,634r
NAILS
discoloration,698u
dystrophy,594f
NAIROBI sheep disease,563b
NAPHTHALENE,630n
NARCOTICS,therapy,589f
NASOPHARYNX,
tumors,723j
NAUSEA
experimental,647s
therapy,703m
NAVAL MEDICINE,574m
surgery,577v
wounds & injur.,717j
NECK
surgery,615v
tumors,744a
wounds & injur.,717k
NECROSIN,701n
NEMATODA,562v,678d
dormancy,718m
parasites,678e
NEOSTIGMINE,therapy,660h
NEPHRIDIA,620-1
NEPHRITIS
etiol.& pathogen.,705m
experimental,694u,727j
glomerular,659q,689o
malarial,581q
pathol.,591i
therapy,689m
NERVES
acoustic,606v,633i
degeneration & regeneration,625s
hypogastric,625m
laryngeal,604a
metabolism,623c

MALARIA (Cont'd)
terminology,610d
tertian,577t
therapeutic,579t,
therapy,563f,581p,622v,625a,629m,
6441,6571,689q,702g,715e,7191,
748b,r
toxin,581p
transmission,585b,f,n,642m,693k
work capacity,679p
MALINGERING,696d
MALLEOLI
fractures,741i
MALLOPHAGA,585g,678k
MALPRACTICE,647j,660k
MAN
prehistoric,675a,709o
MANNITOL,630k
MARCHIAFAVA-BIGNAMI dis.,653m
MARFAN'S syndrome,711s
MASCULINIZATION,657-1,712o
MASSAGE,747e
MASTICATION,568f,685k
MASTOID
surgery,582q,725t
MATERIA MEDICA,731f,733w
MATERNITY
mortality,644d,657k
social asp.,571i
welfare,610s,646p,686-1,737v
MAXILLARY SINUS
dis.,580r
foreign bod.,725f
MEASLES,therapy,581b
MEAT
dehydration,569p,r,684f
MEDIASTINUM
cysts,743f
dis.,725v
displacement,729u
surgery,615w
tumors,694j,706e,727w,744j
MEDICINE,667m
clinical,586-1
errors,638a
history,572v,592e,n,639d,m,n,
682u,713-1
in Canada,713-1
in China,572v,640f
in Ecuador,737v,738a
in France,713-1
in India,693j,698d
in Japan,652b
in Kenya,694e
in Nebraska,585u
in Portugal,579m
in Yakima,704f
institutes
--Lister Institute,598s
--Liverpool,602-1
Moslem,691t
preventive,632i,700u
racial,703f
rural,699d,703f
socialized,585t,659p,691t,692j,
694e,n,699b,738a
state,582a,698d,738h
MELANCHOLIA,722q,w,723e
diagn.,722w,723a,h
therapy,721s
MELANOKINESIS,673a
MELTING POINT,732b,732h,i
MEMBRANES,598v
permeability,565d,622p
MEMORY
aids,602o
disorders,623n
MENINGES
diseases,576d
hemorrhage,668u
tuberculosis,606v,w,667r
MENINGITIS,646n
acute,697a
cpl.,& seq.,644k
influenzal,605b,v,702c
listerella,729w
meningococcic,717m
pneumococcal,583a,602n,649c
serous,677v
therapy,576o,657m,713i
MENINGOCOCCI
infection,576t,606v
MENOPAUSE,734b
surg.therapy,637s
MENSTRUATION
blood vessels,704n
delayed,691e,616q,638m,686m,708p
inception,600h
mechanism,643g
MENTAL DISEASES,676u,722m
diagn.,723h,l
etiol.& pathogen.,683v,695o
heredity,668o,677e
in armed forces personnel,657r,695r,
722u
in infants & children,655g
psychopathology,609p
surgery,573j,577c
therapy,721s,593n,677d,702m,723b
traumatic,721w
typology,722g
MENTAL HYGIENE,648n,655u,696d,735s
hospitals,640o
in Eire,581m
industrial,640v,656m
postwar problems,722a
MENTAL TESTS,608v,w,609a,b,h,l,q,
677i,722k,736f,736r
Rorschach,677p,674t
in animals,609r
machines,609c
MERALGIA paraesthetica,588s
MERCURY
pharmacol.,732a
MESENTERY
tumors,702b
METABOLISM,680o
apparatus,676n
disorders,694v
endocrine factors,636w
exper.stud.,637c
variations,609q
METACARPUS
osteomyelitis,662n
METALS,627t,u
METAMORPHOSIS,678s
adrenals,564n
METATARSUS
fractures,742s
METEOROLOGY,601a,664j
METHANE,597n
METHERGINE,616s
METHIONINE,625o
METHYL ALCOHOL
toxicity,594h
METHYL GLUCOSIDE,607e
METHYLCHOLANTHRENE,566a,650b
METRAZOL,625u
MEXICO,600p
M-4888,702g
MICE
genetics,637o,671j
MICROCYSTIS aeruginosa,726p
MICROFILM readers,611j
MICROMONOSPORA propionici,562g
MICROPROJECTION apparatus,714q
MICRORADIOANALYSIS,595t
MICROSCOPE,649f
electronic,597d,646f,676f,701s
equipment,714e
protonic,673t
MICROTOMY,620i
MIGRAINE,571o
therapy,647b,660g
MILIAN effect,750p
MILITARY MEDICINE,594d,655p,670c,700s
amphibian,714s
anesthesia,700t,714k,716i,746i
apparatus,669q

MILITARY MEDICINE (Cont'd)
blood transfusion,700b,713r,714u,716q,r
convalescence,716j
dermatology,715s
history,580n
in Brazil,581e
in Russia,602o
neurology,661r
neuropsychiatry,574e,574g,595i,641o,657r,669o,676r,s,t,v,677b,h,695n,695q,r,v,696d,699k,710-1,714g,i,715p,721s,722u,736k
nutrition,714d,t
ophthalmology,669u,714k
physical med.,661o
roentgenography,714m
surgical technic,581e,614-1,m,n,s,645r,656v,669u,700s,708s,710-1,713t,715u,716i,744o,q,745q,746f
training,595h
troop trains,688u
wounds & injur.,669o,714f,716u,743e,743u,744b
MILK
acidity,628r
ascorbic acid,635s
dried,684g,718c,d,e
disinfection,596k
exam.,708t
glycogen,591i
human,628i,654g,702a
in diet,663r,w
pasteurization,590-1
purification,596v
rat's milk,636c
substitutes,717r
supply,699n,714-1
MILKWEEDS,718g
MINERALS
dynamic action,672q
metabolism,636w,694v,696h
MINES & MINERS,617b,649v
hygiene,738f
MITES,563a,630q
eradication,751u
MITRAL VALVE
pathol.,726o
MOLDS,allergy,726w
MOLECULES,597w,673o
MONONUCLEOSIS
infectious,606s,652v,668h,695c
MONSTERS
acardiac,571r
thoracopagus,602h
MOON,719g
MORPHINE,607i,607j
allergy,626n
MORPHOGENESIS,564m
MORPHOLOGY,plants,599m
MOSQUITOES,585b,n,621g,j,k,w,622a,642o,719b
eradication,577-1,598g,621r,622b
membrane feeding,563f
transmission of dis.,585f,653d,690d
MOUTH
cancer,681f
cysts,682q
dis.,567g,k,617c,640w
disinfectants,562n
surgery,614g
MOVEMENTS,647s,t,709s,732m,736k
disorders,593d,
psychomotor,679v
recording,679-1
MOVING PICTURES,583c
MUCUNA,576h
MUCUS
chem.,680b
MUSCLES
anat.& histol.,564g
chem.,680c
contraction,626t,653n
exam.,704u
extracts,672o
facial,711g
hypertrophy,728m
innervation,595u,597s
myoidema,617j
pathol.,626b,699r,717-1
pectoral,643c
physiol.,623i,624v,625i,626o,t,650e,697g
plantar,704u
psoas,589k
syphilis,721v
tonus,587c,626t
training,650q
MUSTARD analysis,735f
MUTATIONS,599v,671i,674j,719k
MYCOINS,587u
MYCOLOGY,577g
MYCOSIS,585d
avian,712w
cutaneous,593n,645u,726w
fungoides,632s,635b,664f
therapy,717i
MYELITIS,728q
MYIASIS
aural,646v
MYLOHYOID ridge,683b
MYOPIA,603k
MYOSIN,624g,718t
MYOTONIA
congenita,593-1
MYTHOLOGY,601j
MYXEDEMA,635f
blood,591n
congenita,728d
heart,681u
pretibial,648h
MYZOMYIA,740d

NAGA sore,697h
NAIL POLISH,634r
NAILS
discoloration,698u
dystrophy,594f
NAIROBI sheep disease,563b
NAPHTHALENE,630n
NARCOTICS,therapy,589f
NASOPHARYNX,
tumors,723j
NAUSEA
experimental,647s
therapy,703m
NAVAL MEDICINE,574m
surgery,577v
wounds & injur.,717j
NECK
surgery,615v
tumors,744a
wounds & injur.,717k
NECROSIN,701n
NEMATODA,562v,678d
dormancy,718m
parasites,678e
NEOSTIGMINE,therapy,660h
NEPHRIDIA,620-1
NEPHRITIS
etiol.& pathogen.,705m
experimental,694u,727j
glomerular,659q,689o
malarial,581q
pathol.,591i
therapy,689m
NERVES
acoustic,606v,633i
degeneration & regeneration,625s
hypogastric,625m
laryngeal,604a
metabolism,623c

NERVES (Cont'd)
motor,627e
obturator,565-1
optic,587i,633i,649j,723r
peripheral,591b,e,614v,693v,744p,747n
phrenic,705h
ulnar,627d
vagus,659g,697m
vestibular,726b
NERVOUS SYSTEM
ageing,625w
chem.,626a
diagn.,661j
dis.,576d,661s,t,690d,721n,734a
parasites,696p
pathol.,677f,721n
physiol.,565a,572n,596s,622p,623h,623q,626q,t,627d,e,h,700q
surgery,590a,b,615a,744p,s
therapy,705n
wounds & injur.,615a,713u
NERVOUS SYSTEM SYMPATHETIC
blocking,615d
dis.,566e,711h
eff.drugs,586g,707k
physiol.,625g,h
surgery,591f,616h,667f
therapy,579q
wounds & injur.,594e
NEURALGIA,667k
abdominal,694m
causalgia,714k,744r
therapy,721h
NEURASTHENIA,645i,655e,693v
NEURITIS
arthrotropic,565j
multiple,715o
toxic,725-1
NEUROFIBROMATOSIS,634t
NEUROLOGY,666a,722s
in Eire,582b
in Holland,677b
NEUROSES & PSYCHONEUROSES,574-1,693v,695o,722t,723b
allergic,721j
diagn.,722t
etiol.& pathogen.,627i
functional,650j
in armed forces personnel,574g,1,580r,586o,595i,604a,641o,653-1,657r,669o,671c,676r,s,t,u,v,677o,q,r,695r,699k,710j,714g,i,721s,722u
laryngeal,604a
prev.,656m
somatic reactions,609r,714e
therapy,677d,722f,g,p
vegetative,711h
NEUROSYPHILIS,677d
diagn.,648j,656s
etiol.& pathogen.,721h
manifestations,649j,721v
therapy,576c,579t,651p,654b,655b,s,658e,668s,750w
NEUTRONS
biol.eff.,562e,625d,690u
NEVI
pigmented,633o
NICOTINIC ACID,569u
deficiency,656k,749e
determination,585i
sources,599i
therapy,643d
NITROCHLOROBENZENE,675j
NITROCRESOL,623e
NITROGEN
chem.,596a
dioxide,688-1
eff.,679r
metabolism,680e
NITROUS OXIDE,688-1
toxicity,641i
NODES
juxtaarticular,632p,632r
NOISE
eff.,625i,679h,736o
NOMENCLATURE,620c,641u,645r,731p
NOSE
prostheses,630v
surg.,613j,k,711u,726c
NUCLEINS,692g
NURSES & NURSING,601q,602g
associations,573e
dental,684a
education,572w,602u
in Finland,601n
military,601p,670c
practical,640c
public health,602r,t
psychiatric,677h
teaching,602-1
NUTRITION,663s,684d
army diet,714d,t
disorders,661s,690n
industrial,602a
in Asia,648e
in Brazil,695m
in India,674o,696m
in Japan,600c
in Manitoba Indians,648d
in Newfoundland,656m
of children,570e
psychol.asp.,586g

OBESITY
etiol.& pathogen.,624e,636h,727k
metabolism,624e
paradoxical,583i
surg.,704u
OBSESSIONS,593n,693v,721e
OBSTETRICS,666u,739g
rural,703-1
OCCUPATIONAL THERAPY,669v
for blinded,671a
for children,747j
for mental & nerv.patients,747r
for tuberculous,617r,s
methods,747r
military hospitals,747k,q
OCTIN,therapy,699b
OIL,731q,737d,e,f
linum,597b
liver oils,696i,j
oxidated,636f
triton oil,737e,f
OINTMENTS,635e,731t,732e
OLD AGE,625w,702k,739f
equipment aids,747q
medical care,691t
mental hygiene,655u
metabolism,676i
nutrition,628j
psychiatry,722q
OMENTUM
transplantation,744v
ONCHOCERCIASIS,633b,678i
OPHTHALMOLOGY
in China,581u
in Argentina,724e,g
teaching,603o,724b,c,f
OPTICS
distorsion & coma,598d
history,687n
reflection,687m,718r
ORBIT
surgery,724i
tumors,634u
ORGANS
perfusion,673m
ORIENTATION,721o
ORTHOFUSOR,663m,726f
ORTHOPEDICS,746f
cervico-facial,568e,631g
history,580d
ORTHOPTICS,603j,r

OSAJIN,629g
OSCILLOMETRY,593f
OSMOMETRY,598v
OSMOSIS,622p
OSTEITIS,683w
  deformans,565o,613v
  fibrosa,605-1,615o
OSTEOARTHROPATHY,742r
OSTEOMYELITIS,683w,705d
  experimental,676a
  in infants,697v,728-1
  pathol.,745a
  roentgenography,745v
  therapy,576p,606r,697u
OTITIS MEDIA,603w,696a
  therapy,603u
OTOLITH APPARATUS,627a
OTORHINOLOGY,725i
OTOSCLEROSIS,584s,725h
  surgery,604a
OUTPATIENT DEPARTMENT,572w,677g
OVARY
  abnormity,706t
  cysts,613u,692s,705q,730m
  excision,570v
  hormones,570o,602h,668g,686c,d,739v
  insufficiency,651w
  metabolism,636v
  physiol.,718u
  transplantation,637s
  tumors,611v,665e,712o,713o
OVULATION,636t,u,671m,680-1
OVUM
  chemistry,623u
OXIDASE & PEROXIDASE,596t
OXIDATION & REDUCTION,600d,672s,678n
OXYGEN
  deficiency,609h,627a,647p,679f,m,681t
  eff.,597q,625p,626r
  metabolism,624e,625i,680o
  physical prop.,676k
  therapy,647p
  toxicity,623-1,673d
OYSTERS,596g

PAIN,590w,646r,714k
  diagn.,706i
  phantom,745b
PALATE
  cleft,567d,630w
  tumors,614e
PALEO-ECOLOGY,731o
PALEOPATHOLOGY,709o
PALMS, dis.,599h
PALMYRA fruit,576i
PALUDRINE,702g
PANCREAS
  abnorm.,613j
  anat.& histol.,675t
  cancer,663k
  dis.,728m
  pathol.,680p,q
  physiol.,623a
  pseudocyst,744h
  tumors,663j,l,677a
PANCREATITIS,692b
PANIC,696d
PANTOYLTAURINE,720r
PAPAYAS,dis.,600w
PAPER,597-1
PARAESTHESIA,646r
PARALYSIS
  facial,620e,656j,696a
  flexor,714d
  hysterical,691i
  opponens pollicis,691j
  radial,745-1
  spastic,575r,743r
  spinal,594w,664t
  therapy,650q
PARAMECIUM,645d
PARAMYOCLONUS
  multiplex,722e
PARAPSORIASIS,711b
PARASITES,601d,711r
  classification,712c,j
  endoparasitism,678p
PARATHYROID
  therapy,567v
  tumors,613d
PARATHYROIDECTOMY,565m
PARATYPHOID,696s
  epidemiol.& statist.,605u
PAROTID GLANDS
  cancer,712n
PAROTITIS,606i
  cpl.,566u
  diagn.,579k
  therapy,727o
PARRICIDE,662o
PARTICLES,598f
PATELLA
  abnorm.,594f
  dislocations,615-1
  fissure,616-1
  fractures,577r
PATHOLOGY
  in Eire,581h
  institutes
  --Army Institute,586u,715a
  vegetative,678n
PEARS,569w
PECTINS,684g
PEDIATRICS,709m
  antenatal,686o
  clinics,728i
  therapeutics,730i
PEDICULI,577k
PEDIGREE CHARTS,637-1
PELLAGRA
  epidemiol.& statist.,580q,714g
PELVIS
  fractures,658a
  osteomyelitis,745s
  tumors,681i
  types,692d
PEMPHIGUS,606n,633u,635a,634s
  familial,633e
  pathol.,664s
PENICILLIN,579w,656p,667d,713g,733r
  admin.,567g,603w,610j,641q,646f,654a,655s,659o,660j,r,666p,667b,668e,691f,720e,h,750q
  allergy,706b
  chem.,607t,731m
  determ.,635m
  eff.,583q,599n,644n,651i,m,672p,705v 720i
  --combined,562j
  --rubber tubing,733j
  --untoward,645u,717k
  history,710m
  metabolism,587u,603e,652o,675-1
  prep.,583g,605b,669p,681q
  production,562h,i
  therapy,567n,578p,586k,592i,593m,595d,603v,w,616i,649t,u,652e,656p 658o,660q,691n,697-1,702m,705n,709f,713h,i,j,715r,s,716c,724r,s,t 725g
  toxicity,590-1,633g,656a,660s,w,699-1 724m
PENICILLINASE,562-1
PENICILLIUM,562e
PENIS
  dis.,708j
  mutilation,649d
  prepuce,704q
PENOLOGY,685o
PEPSIN
  secretion,600g
  uropepsin,624j
PEPTIC ULCER
  in soldiers,659s
  perforated,588-1,690r

PEPTIC ULCER (Cont'd)
postoperative,643r,656f
prevention,627g
surgery,589r,612v,643q,659g,708o,743h,745i,746q
therapy,655u,661k,697m
PERCEPTION,608k,n
PERIARTERITIS
experimental,706u
nodosa,605o
PERIARTHRITIS
cervical,747h
PERIBRONCHITIS,703h
PERICARDITIS
adhesive,659w,681v,743u
etiol.& pathogen.,566m,s,614u
in infants & children,606b
PERICARDIUM
cancer,566s
physiol.,623w
wounds & injur.,666c
PERINEPHRITIS
etiol.& pathogen.,613i
PERIODONTITIS,631c,n,682t
therapy,632b
PERIOSTITIS,683w
PERITONEUM
irrigation,651r,689p
tuberculosis,650-1
PERITONITIS
etiol.& pathogen.,692v
therapy,580w
PERIVASCULITIS,633t
PEROXIDES
carbamide,562n
PERSONALITY,643m
development,722r
psychopathic,625c,685n,696d,715p
tests,608r,609b,736f,j
types,609o
PETROLATUM liquid,732g
PHAGOCYTES,626v,689w
PHARMACOGNOSY,733w
PHARMACOLOGY
enzyme theory,732m
PHARMACOPEIAS,655o,731a
PHARMACY,731h,734d
education,696e
history,577o,582w,734j
PHARYNX
dis.,580j
PHENATHRIDINE,675r
PHENAZINES,619t
PHENOL,565f
PHENOLPHTHALEIN
toxicity,633k
PHENOTHIAZINE
toxicity,719b
PHENYLAMINE,630j
PHENYLETHYLAMINE
metabolism,732w
PHENYLHEXANE,735c
PHENYLMETHANE,562c
PHLEBITIS,709f
PHLEBOSTENOSIS,641c
PHLEBOTOMUS,585c,621-1
PHOSGENE
toxicity,626m,735n
PHOSPHATASE
estimations,654h
plant,576j
PHOSPHOLIPIDS,680f
PHOSPHORUS,597-1,598c,679u
determ.,675v
in diet,635v
metabolism,625f,676i,696h
radioactive,741m
PHOSPHORYLATION,599p
PHOTOGRAPHY,683p,714n
PHOTOMICROGRAPHY,654m,714q
PHOTONS,595o
PHTHALIMIDES,731u
PHYSICAL EDUCATION,729b
women,604o
PHYSICAL MEDICINE,617b
in Russia,579q
PHYSICIANS,586c,700n
history,592n
Negroes,640p
PHYSICS,579d,709t,719d
PHYSIOLOGY,601e
PHYSOSTIGMINE,596i
therapy,581w
PICKRELL solution,582m
PICOLINIUM chloride,732i
PIGMENTATION
disorders,633-1,634r,635e
PIGMENTS,629g,726q
vegetable,598s
visual,623s
PILONIDAL SINUS,613n,669s
PINTA,568w,569c,706a
pathol.,748v
PIPERIDINE,630n,731u
PIPETTES,691s
PIROPLASMOSIS in cattle,563b
PITHECANTHROPUS,675a
PITUITARY BODY,
development,680k
insufficiency,587k,694v
irradiation,582i
pathology,591q,699s,723j,l,727k
physiology,582i,681b,684v,w,694t,711d
PITUITARY PREPARATIONS,628m
eff.,570h,636s,663n
PITYRIASIS,634-1,
rubra pilaris,632t
PLACENTA
expulsion,583w
permeability,705e
previa,702m,706r,712g
villi,684u
PLAGUE
epidemiol.& statist.,610e
therapy,654c
transmission,599g
PLANTS
Mexico,678h
pathology,678n
physiol.,601e
secretions,674b
PLASMOCHIN,625a
PLASMODOSIS macrophagic,591h
PLASTICS,743w
PLETHYSMOGRAPH,626s,679q
PLEURA
tumors,741s
PLEURISY
adhesive,617m
exudative,699j
in infants & children,605s
serofibrinous,664j
therapy,656i
PLEUROPERICARDITIS,
in infants & children,606b
PNEUMOCOCCI
culture,585d
PNEUMOCONIOSIS,590c
prev.& control,617c,738f
PNEUMONIA
atypical,577q,658j,702v
epidemiol.& statist.,656-1
history,586-1
localized,594p
rheumatic,578r,665f
therapy,689n
virus,580q
PNEUMOTHORAX,662d,705n,745r
artificial,588v
auscultation,650d
POIKILODERMA,634c,r
POISONS & POISONING,645d,680b,726p
historical studies,682u
pathol.,595r,588d,726m
POLARIMETER,720b
POLAROGRAPHY,627s,t,u
POLICE REGISTRATION,685p
POLLEN,597s
antigens,727c
germination,719k
paleo-ecology,731o

POLIOMYELITIS
bulbar,728s
cpl.& seq.,604r
diagn.,588f
epidemiol.& statist.,595g,611n, 657k
etiol.& pathogen.,610q
mortality,581v
pathol.,707v
portal of entry,567-1
prev.,573n
therapy,606n,665q,693k
POLYCYTHEMIA
exper.,707-1
POLYSACCHARIDES,623m,628r
POMIFERIN,629g
POPULATIONS,598r,621o,680o
PORPHYRIN,638r
coproporphyrin,676-1
hematoporphyrin,685h
metabolism,587h,652m,704c
protoporphyrin,680t
POSTURE,625g,626h
blood pressure,713e
POTASSIUM,597u,650f,672-1
eff.,650e,672c
metabolism,581-1,636w
permanganate,733h
POTENTIOMETRY,672k
POTTERY,747r
POULTRY,598w
dis.,619j,751q,s
PREGNANCY
cpl.,578d,664v,665b,686d,f,g,h 687d,694h,695d,707a,709d
diagn.,575w,576u,585-1
ectopic,576a,580k,582t,662v, 663m,685v
hygiene,686o
metabolism,659u
toxemia,686o
vomiting,589n,705w
PRESCRIPTIONS,607p
PRIMULA,597e,598h
PRINTING INDUSTRIES
metallic stencils,604j
PRISMS,663m,726f
PROBOSCIDEA,678s
PROCAINE,607g,h,713k
eff.,596i
therapy,721h
PROLACTIN,711d
PROMIZOLE,684v
PROPANE,706h
PROPEPTANS,581c
PROPYLENE
dichloride,641h
PROSTATECTOMY
suprapubic,587j
transurethral,650q
PROSTATE,653i
calculus,698t
cancer,618r,703h
dis.,648h
echinococcosis,648h
infl.,582i,618o
tumors,644d
PROSTITUTION
social case work,751i
PROTEINOSIS lipid,634e
PROTEINS,673k
deficiency,626i
fractionation,629n
hydrolysates,593w,720i
in diet,635t,u,636b,653v
metabolism,657t,716k,i
phys.prop.,718r,672f
vegetable,576i
PROTOPLASM,562k
PROTOZOA,740h
counting,719-1
cultivation,696p
PROTOZOOLOGY methods,562o
PSEUDARTHROSIS
therapy,745e
PSEUDOCINCHONA africana,596e
PSEUDOPHYLLIDEA,681c
PSORIASIS,634g,635a
arthropathica,634v,w
enplaque,632u
therapy,633j,660n
PSYCHIATRY,646o,650u,658b,677c,f 677h,695v
clinics,685o
diagn.,653-1,722k
forensic,722h
in Japan,647-1
industrial,656m
pediatric,677e
public health asp.,699p
social work,677h,721w
teaching,677i,721s
PSYCHOANALYSIS,601i,j,643p,721d 721k,722-1,w,723b
group,699k
narcoanalysis,653-1,721k,722f, 722p
technic,643p
PSYCHOLOGY,608n,736e
comparative,608h,r,609g,k,r, 623n,735u,v,w,736a
individual,590d
industrial,608u
methods,608m
of annoyance,608q
of esthetics,609i
social,608t,685i,723b
PSYCHOSURGERY,677c
PSYCHOTHERAPY,595j,676t,v,677p
group,574g,641n,736k
indications,593n
PSYLLIDAE,718-1
PUBIC BONE
fractures,714u
PUBLIC HEALTH,671g
centers,640k,699i,700e
in Algeria,738g
in Chile,739w
in Dominican Republic,610c
in Honduras,610k
in India,691e,698c
in Mexico,610g
in Montreal,713k
in Nicaragua,620t
in Paraguay,573p
in Russia,581r
in Switzerland,695k
in United States,568i,737p
rural,650h
PUERPERAL INFECTION,685w
etiol.& pathogen.,740n
prev.,584a
therapy,571f
PUERPERIUM
cpl.,709f
early rising,702w
PULLULATION,672g
PULSE
var.,679-1
PUPPETRY,747q
PURPURA
etiol.& pathogen.,644o,698e
haemorrhagica,590e,651q,664k
Schoenlein-Henoch,606c
PYELONEPHRITIS,586r,704h
PYLORUS
hypertrophy & stenosis,604n,605j 728m,730f
PYODERMA,633f,643s
PYOPNEUMOTHORAX
therapy,749k
PYORRHEA alveolaris,661h
PYRACIN,600u
PYRAZINES,629f,630c
PYRIBENZAMINE,679w
PYRIDINE,707j
PYRIDOXINE antagonists,707j
PYROCATECHOL,630f
PYROGENS,623m,667u,732c

QUADRILATERAL SPACE,744f
QUARANTINE,738g
hospitals,595f
military,748i
QUINACRINE
absorption,578c
therapy,700c
toxicity,644j,697p,724k
QUININE
eff.,562p
pharm.,575g
therapy,575g,581p
QUINOID STRUCTURE,562c
QUINOLINES,622v,629d

RABBITS
anat.,564m
RABIES
diagn.,696q
etiol.& pathogen.,696p
immunity,706b
virus,600r
RACES,703f
RADIATIONS,611r,671v,673f,719g
biol.eff.,562e,690t,u,v,w
eff.,708c,741p
meas.,691a
RADIOACTIVITY,597d,741m
RADIOLOGY,633d
in Argentina,588h
RADIOMICROANALYSIS,596m
RADIOTHERAPY,691a,742b
RADIUM,596p,673f
institutes
--Havana,681f
therapy,691b,741v
RADIUS
deformity,613v
RAILROAD SIGNALS,675d
RAINFALL,676n
RAINWATER,597u
RATS
eradication,598q,707e,730t
laboratory apparatus,654k
parasites,712v
RAYNAUD'S DISEASE
etiol.& pathogen.,644n
RAYNAUD'S phenomena,633v
READING,736o
therapeutic,721t
RECORDS
medical,573s
RECREATION,729b
RECRUITS
defects,616m
limited serv.,695n
psychiatry,695q
RECTANOL,571d
RECTUM
cancer,580n,656d
exam.,746t
hemorrhage,647e
hygiene,656b
prolapse,582u,638n
--in animals,751m
tumors,613e,712-1,m
wounds & injur.,602f
RED CROSS,583p,671c
social service,721w
REFLEX,565a
conditioned,608i,609f,s,622t
676w,677o
spinal,681o
sucking,727r
therapy,579q
REFRIGERATION,640s
REGENERATION,620i,674r
REHABILITATION,593k,616w,670g,
670m,n,o,p,q,r,s,t,u,v,w,
671a,b,c,687w,698o,706w,747f

RELAPSING FEVER
experimental,749b
prev.& control,649-1
therapy,694f
RELAXATION,722g
RELAXIN,570o
RELIGION,608p
REPRODUCTION,678n
exper.stud.,680-1
in animals,595q,620h,735v
RESEARCH,598o,639m,658c,671g,675b
733j
associations,600i
history,598o
in China,600c
international cooperation,599f
RESEARCH MEDICAL,598s,602-1,747v
RESINS
acrylic,598a
rubber,718g
RESORCINOL,565f
RESPIRATION,623r,625p,679r,v,
680d
alveolar air,625v,707b
development,738u
hyperpnea,623f,1,626r,652r,673d
in var.cond.,609r,625e,678w
physiol.,622s,625q,735m,738u,
749q
RESPIRATORY TRACT
dis.,566m,578a,589d,688v,691f,
737f
fluid production,647q
foreign fluids,743e
RESUSCITATION,744j
RETICULIN,591i
RETICULOENDOTHELIAL SYSTEM,663i
dis.,572a
RETICULOSIS,
giant cell,634f
RETINA
liporrhagia,724p
pathol.,603k
physiol.,596g
RETRACTORS,613k
R-EXTRACT,711j
RHEOSTAT,718g
RHEUMATIC FEVER
cpl.& seq.,648s
cardiac cpl.,582h,693e,f,706s,
726o,729d
epidemiol.& statist.,585i,688v
in soldiers,737o
manifestations,582g,604p
prev.& control,737n
therapy,601q,689k
RHEUMATISM
chronic,747o
etiol.& pathogen.,575-1,641c
lungs,578r
pathol.,565j
surgery,565m
therapy,592m
RHINITIS
atrophic,582m,587u
infectious in swine,619j
spasmodic,711w
therapy,572o,579s
RHINOSCLEROMA,697b
RHUMELIUS,J.P.,600a
RIBOFLAVIN,569u,607i,673h,735a
determ.,585h
metabolism,623b
RIBS
abnorm.,649r
fractures,712h
tumors,659p
wounds & injur.,705u
RICKETS
cpl.& seq.,730e,743c
RICKETTSIA
structure,701s
RINGWORM,583h,633k,634h,748s
of feet,572s
therapy,580g,643t,709c

ROCKY MOUNTAIN SPOTTED FEVER
diagn.,642g
ROENTGEN RAYS,672w,599q
apparatus,589g,612b,718r,719w
biol.eff.,690u
history,594s,599k,612a,655o,
657p,742h
injur.eff.,723u
protection,681k,691c,741u
technic,594s,742h,i
use,599-l,m,720a
ROENTGENOGRAMS
duplication,611s
ROENTGENOTHERAPY,612f,691b
ROSACEA,633o
ROSEHIPS,628u
ROUND LIGAMENTS
tumors,692m
RUBBER GLOVES,allergy,634u
RUBBER TUBING,733j
RUBELLA
maternal,603h,652a
RUBRENE,596q
RUTECARPINE,597f
RUTIN,730w

SABADILLA,621v
SACRAL CANAL,627p,692c
SACRAL REGION
cancer,712p
SACROCOCCYGEAL REGION
tumors,612n
SACROILIAC JOINT
dislocations,589k
SALICYL cpds.
acetylsalicylic acid,660v,732f
antagonists,720r
eff.,689t,707d
methyl salicylate,580c
toxicity,636k,689k,692o
SALIVA
chem.,567n
SALIVARY DUCTS
roentgenography,666o
SALMONELLA,605f
cubana,562-l
infections,652k,696g,748t
types,718f
typhimurium,642e
SANDFLY FEVER
epidemiol.& statist.,594h
SANITATION
food factories,684e
standards,610n
SANTONIN,630-l,630m
SARCOIDOSIS,633o,634e,635b,648l,
653p
Spiegler-Fendt,633u
spleen,744d
SARCOMA,613e
chondromyxosarcoma,744c
experimental,566b
fibrosarcoma,700h
Kaposi's,633w
leiomyosarcoma,712r
lymphosarcoma,647m,681j
melanosarcoma,566c
osteosarcoma,614h,657b,703r
reticulosarcoma,636m
rhabdomyosarcoma,743k
SCABIES,577k,689c
avian,633s
therapy,595a
wounds & injur.,716d
SCAPHOID BONE,CARPAL
dislocations,615m
fractures,699q,742w
SCAPULA
fractures,615b
SCARLET FEVER
cpl.,566o
diagn.,730j
therapy,697n
SCENT GLANDS,718w
SCHISTOSOMA mansoni,671m
SCHISTOSOMIASIS,588s
cerebral,669n
cpl.& seq.,664t
diagn.,748c,e,739r
eggs,748e
epidemiol.& statist.,578u,589e,
690i,737h,739o
heart,590r
liver,712w
nerv.syst.,721g
prev.,690o
therapy,578u
SCHOOLS
med.serv.,602s,738r
SCHOOLS MEDICAL
Coimbra,579m
history,592e
Mexico,694n
Paris,639n
SCHUELLER-CHRISTIAN SYNDROME,725e
SCIENCE,687m
history,730q
SCIENTISTS,719c
SCLERODERMA,587d,632q,r,634q
cpl.,636m
in infants & children,727i
SCLEROSIS
multiple,724a
tuberous,634d
SCORPIONS
stings,625n
SCRAPIE,619k
SCREWDRIVER,699m
SCROTUM
gangrene,744b
wounds & injur.,613t,618q
SCURVY
diagn.,729o
history,731r
pathol.,680c
therapy,596j
SEALS (animals) 620h
SEBORRHEA
therapy,586p
SEDATIVES,589f
SEEDS
dis.,563j
germination,598u,674i
SELF-MUTILATION,649d
SELLA turcica,723j
SEMEN
chemistry,599b
SEMILUNAR CARTILAGES
wounds & injur.,710e
SEPTICEMIA,617b,716s
blood,716-l
therapy,594j,633f
SERINE
toxicity,726q
SERODIAGNOSIS,689u
laboratories,738j
SEROTHORAX,705d
SERTOLI CELLS,681b
SERUM
antitadpole,599w
decomplementized,581q
preparations,654f
SEWAGE,740s,741b,d
chlorination,740t
disposal,740r
exam.,740s
SEX,722o,r
behavior,624p,680m
exper.stud.,680i
in animals,735v
intersex,708n
libido,723e
perversions,578f,691k,723d,
736g
psychol.,574e
reversal,599a

SHEAR polysaccharide,623m
SHEEP
breeding,619p
diseases,563b,619k
feeding,619o
SHIPYARD WORKERS,641h
SHOCK,701w
blood,652h
diagn.,652j
etiol.& pathogen.,627b,659m
exper.,652i,652t,672m
pathol.,626n
surgical,580-1,594s,612o,615g
therapy,583j,613o,652t,680f
SHOULDER
dislocations,588j,691j
tumors,657b
wounds & injur.,612n
SIGMOID
cancer,659w
perforation,692v
tumors,692v
SILICA jelly,719-1
SILICON,597n,598w
chem.,629p,q,r
SIMULIIDAE
ered.,621t
SINUSES NASAL
abnorm.,698g
calculi,725w
dis.,698g,703m,725g,l
surg.,604e,f,725h
SITOPHOBIA,702r
666 (insecticide) 577n
SKIN
atrophy,634p
bacterids,717k,750q
blood supply,566p
blood vessels,679q
cancer,566a,711j,742s
defects,650-1
dis.,633q,697o,699e,700w,715s,750n,q
immunity,599v
pathol.,588d,615j
physiol.,608m,609j,744o
transplant.,568q,580u,615s,632i 661b,743j,745c
tuberculosis & tuberculids,590j,591c,632r,634e
tumors,666e,700h
SLEEP
disorders,676w,677-1,m,711o
therapy,583j,723b
SMALLPOX
epidemiol.& statist.,699v
vaccination,588t,590u,727r
SMELL,736s
SMILE therapy,595j
SMITHWICK'S operation,705i
SMUTS,622h
SNAILS,620p
SNAKES
bites,639h,748-1
ethnology,639h
SOCIAL SECURITY,574r,693j,710a
in Ecuador,738b
in Uruguay,574r
SOCIAL SERVICE,607p,677h
SOCIAL WELFARE,729b
SODIUM,650f
bicarbonate,689-1
chloride,612s,622w,652s,t,663p,674d,733p
metabolism,636w,679g
SOIL
biology,599p
chem.,595v
SOLANINE,607i
SOLDIERS
adjustment,574f
SOLUTHIAZAMIDE,708k
SOLVENTS
toxicity,574o
SORGHUM
genetics,672k
SOVCAINE,745b
SOYBEANS,684e,717r
SPACE perception,608j
SPARTEIN
eff.,597b,672f
SPECIALISM,590h
SPECTROGRAPHY,600g
SPECULUM,686w
aural,717p
SPEECH
defects,604p,721i,722t
esophageal,694q
psychol.asp.,736-1
SPERMATOGENESIS,564p
exper.stud.,673g,681b
SPERMATOZOA,624m
SPHINCTER MUSCLES,728d
SPHINGOMYELINS,692g
SPHYGMOSCOPE,744d
SPIDERS,675p
SPIEGLER-FENDT dis.,633u
SPINAL CANAL ROENTGENOGRAPHY,741g
SPINAL CORD
hemorrhage,723k
pathol.,679e
physiol.,627h
tumors,592t
wounds & injur.,583u,624d,706w,744t
SPINAL PUNCTURE,615u
SPINE
abnorm.,741u
abscess,745d
arthritis,644c
deformity,662e
dis.,700-1,741-1,742k
dislocations,700-1
intervertebral disks,574m,742k,743a
roentgenography,741g
surgery,613k,q,615u
tumors,712r
wounds & injur.,624d,744o
SPIROCHETA pertenue,646i
SPIROCHETOSIS,748h
bronchopulmonary,571-1
icterohaemorrhagica,588r
SPLANCHNOPTOSIS,706r
surg.,663v
SPLEEN,620g
cysts,741j
infarction,572e
pathol.,626v
rupture,686h,744d
wounds & injur.,613f
SPLENOMEGALY,727v
etiol.& pathogen.,572e
SPLINTS,746e
plastic,691j
SPREADING FACTOR,689v
SPRUE,698-1
feces,696t
therapy,697p
SPUTUM,563w
exam.,654i,714m
SQUASH genetics,637n
STAINS & STAINING,619v
history,687j,708w
vital,687k
STALAGMOMETER,732a
STAPHYLOCOCCI
antitoxin,600-1
infections,633f
viability,583q,730s
STARCH,569t,598p
chem.,629c
STARVATION,679n,o
experimental,624g
therapy,593w
STATISTICS,736s,t,u,v
STERILITY
etiol.& pathogen.,571h,637w
therapy,651w
STERILITY TEST (bacteriol.) 562e
STERILIZATION
sexual,710m

STERNUM,fissure,615n
STEROIDS
chem.,599g
metab.,570j,t
STEROLS,718t
STIBATIN,697a
STOMACH
acidity,589q,682q
biopsy,613p
cancer,587k,593t,616k,636p,643w,658q,705e,710r,s,746u
cardiospasm,607a,700d
cysts,743f
diagn.,639r
dis.,667o
diverticula,613p
extracts,718v
hernia,662r,710t
infl.,645n
innervation,697m
mucus,680b
pathol.,636j
physiol.,679o
radiography,710r
secretion,600g,626j,704v
surgery,612o,v,616d,j,638j,643r,652e,743h,745g,i,746c
syphilis,646j
tumors,585r,586d,616t,636m,727-1
STOMATITIS,634i
aphthous,633-1
gangrenous,605-1
STRABISMUS
diagn.,603i
therapy,663m,726f
STRAWBERRIES,569v
STREPTOCOCCI
carriers,697t
hemolytic,580j,641w
infections,642a,644q,688v,w,717q,720d
metab.,562q
STREPTOMYCIN,569j,578e,640r,710-1
chem.,630d,630g
eff.,720s,733a
inactivation,708d
metabolism,587u,652p,720k
standardization,579a
therapy,654d,689j,720-1
toxicity,720f
STRESS,679v
respiration,738u
STROPHANTHIN
eff.,695b
standardization, 695i
toxicity,732s
STRYCHNINE
antagonisms,733b
SUBTILIN,595s,597k,673d,r,674d,720j
SUCCINIC DEHYDROGENASE,636v
SUCCINOXIDASE,628g
SUCROSE,644u,718w
SUE family of physicians,592n
SUFFOCATION,679e
SUGAR
in diet,651h
SUGAR CANE diseases,564j
SUICIDE,662u
SULFADIAZINE
metabolism,575t
therapy,654c,689-1,729s
SULFAGUANIDINE
toxicity,656k
SULFALUMIN,748r,t
SULFAMERAZINE
metabolism,575t
SULFANILANILIDE,654e
SULFANILYL benzamide,696v
SULFAPYRAZINE
therapy,654c
SULFAPYRIDINE,607-1
chem.,675u
eff.,599n
toxicity,698e
SULFATHIAZOLE
therapy veterinary,751s
toxicity,633e
SULFONAMIDES
admin.,725d
chem.,629m
determ.,635n
eff.combined,562j
eff.,594g,663b,675q,710o
metab.,575t
prep.,586b,605b
therapy,584-1
toxicity,604b,655v,660s,663c,728p,750p
p-SULFONAMIDOBENZAMIDINE,564v
SULFUR
colloidal,586p
SURFACES,629i,j
SURGERY,656v,713g,743n
blood chem.,663e
blood pressure,716q
consent,573j,688a
economics,710h
history,592e,n
in India,581s
in United States,664c
mortality,703s
operating table,669q
plastic,708s
postoperative care,612t,647g,648k,662c,699a
postoperative cpl.,612p,638k,663e,706h,743e,q
SWEAT
hormones,679i
SWEAT GLANDS
cancer,591j
physiol.,626p
SWEET POTATOES,dis.,622d
SWINE
dis.,619j
feeding,619n
SYMBOLS,637-1
SYMPATHECTOMY,616h,616o,691p
lumbar,615t,665g
results,627e
thoracolumbar,744o
SYNDROMES
minimal,589-1,698q
rare,584h
SYNOVIAL MEMBRANE
tuberculosis,588n
SYPHILIDS,632p
SYPHILIS, 634o,659v
chronic benign,666g
congenital,576q,606m,651o,656s,705e,729f,730d
epidemiol.& statist.,610k,619e,704o
experimental,590j
history,600a
immunity,646e
in Negroes,619e
pregnancy,651n,665p
life expectancy,619e
mortality,619e,f,737m
prev.,750m
reinoculation,751e
serodiagnosis,571-1,577h,611b,708b,711c,712c,729f,751a
tertiary,632v,633p
therapy,590k,1,593m,595b,c,651m,656-1,q,670b,693m,704i,713j,720-1,722o,750m,751b,c
untreated,619e
SYRINGOMYELIA,615n

TABES DORSALIS,649j,664q
TACHYSTEROL,597c
TANTALUM,615t
TAPEWORMS,585f
  infection,713a
TAPIOCA,696-1
TAR,690f
TATTOO,633-1
TEETH,631a,631r
  abnorm.,567t,631-1,683t,711c
  anat.& histol.,631t
  caries,567e,n,q,v,630r,s,631d,r,
    646g,683m
  development,631s,u
  diet rel.,701f
  dis.,661g,h,683v
  extraction,567f,568s
  fillings,568o,630v,683j
  hygiene,631m,661i
  infection,567f
  malocclusion,630u,682j,k
  pathol.,631q,682u,q
  prostheses,567q,t,568k,n,614e,
    631m,w,632f,682w,683c,f,h,i
    683m,p,684a
  pulp,568b
  roentgenography,742e
  root canal therapy,567d,631e,r,
    632b,683i,r
  tumors,614h,682o
TELANGIECTASIS,632n,633m
TELEPATHY,601i
TEMPERATURE
  eff.,626f,647u
TEMPERATURE BODY,679-1,714-1,732f
  determ.,708f
TEMPORAL BONE,725e
  wounds & injur.,716p
TENDONS
  sheaths,657m
TESTES
  dis.,711h,727o
  tumors,739v
  undescended,703c
TETANUS
  antitoxin,608a,b,d
  cpl.,717a
  therapy,655h,702g,714p
  toxoid,703t
TEXTILE INDUSTRIES,604k
TEXTILES
  synthetic,675j
THEOBROMINE,732t
THERAPEUTICS,584n
  norms,730i
THERMAL MAN,679a
THERMISTOR,624i
THERMOCOUPLES,708f
THERMOMETER,720b
THIAMIN,569u
  deficiency,739m
  in urine,728-1
  requirements,628j
  standardization,719j
  therapy,697g
THIGH
  tumors,744c
THINKING,622p,702r,722f
THIOSULFATES,626s
THIOURACIL,623e,700h,750-1
  determ.,734k
  eff.,570p,637d,692b,727h,732u
  toxicity,570s
THIOUREA
  metabolism,637c
  toxicity,598q,707e,r
THORAX
  abscess,745h,746a
  cysts,743f
  dis.,583f,585w
  foreign bod.,611t,614o
  immobilization,705u
  pressure,624c,705r
  roentgenography,612j,715k,749j
  surgery,613q,614m,n
  tumors,681h
  wounds & injur.,614-1,u,662d,
    669o,713r,715i,j,k,716e,f,h,
    743e,f,744a,745f,h,q,746a
THORN'S SYNDROME,701q
THROAT
  infections,644q,720d,725d
THROMBIN,666w,724u,726c
THROMBOANGIITIS OBLITERANS
  therapy,575j,k
THROMBOPHLEBITIS
  cpl.,648q,652b
  penile,578m
  postoperative,713p
  therapy,665g,694c
THROMBOSIS
  axillary,582k
  basilic,582k
  coronary,576w,659d
  diagn.,659n
  epidemiol.& statist.,686v
  mesenteric,645q
  pulmonary,727t
  renal,657e
  sinus,575-1,604g,699t
  splenic,572e
  subclavian,582k
  surgical therapy,710d
THYMINE,593r
THYMOL,708r
THYMOL-barbital test,574n
THYMUS,620g
  cancer,745p
  surgery,743t
THYROID
  dis.,705a
  eff.agents,637b
  hyperthyroidism,570r,577u,582d,
    613a,625u,638m,643v,657a,668r
    692b,699r,708p,713b,750-1
  hypothyroidism,625u
  metabolism,684w
  pathol.,727h
  physiol.,680p
  surgery,587j,615u
  therapy,656g
THYROID PREPARATIONS
  analysis,608e
THYROXIN,626d,707r
TIBIA
  abnorm.,741-1
  fractures,742r
  tumors,712s
TICK FEVERS,563b,748-1
TICKS,751t
  biol.,563e
  cattle,619q
  ecol.,563d
  erad.,649-1
  metab.,562t
  transmission of dis.,563b
TIME
  in neurology,666a
  psychol.,736p
TIN,627w
TISSUE
  chem.,625d,628g
  phys.prop.,596t
  respiration,598b,624b,625i,
    645c,d,652r,708a,735m
TITRIMETER,569-1
TOBACCO
  dis.,562u,563-1
  toxicity,695o
T-1824, 625n
T-13, 737e,f
TONGUE
  diagnostic val.,713m
  dis.,725f
  ptosis,631h
  tumors,712m
TONSILLECTOMY,658e,709v
TONSILS
  infections,580j
TOOTHACHE,582p,667k
TOOTHBRUSHES,631h

TORTICOLLIS
ocular,744e
TORULA,eye,602n
TOXEMIA,716s
TOXIN & ANTITOXIN,608a,c,d,623b,
678t,726p
determ.,599o
TOXOPLASMOSIS,729q
carriers,726s
therapy,563s
TRACHEA
cancer,681j
surgery,615g
TRACHEOTOMY,580p,700i
TRACHOMA
epidemiol.,665j
TRANSAMINASE,708c
TRAUMA,741w
cpl.& pathol.,721h
metabolism,623b
therapy,616h
wet lung,743e
TREMATODES,620o
TRICHINELLA
allergy,748f
TRICHINOSIS
epidemiol.& statist.,713c
prev.,684f
TRICHOMONAS
cult.,562c
staining,619v
TRICHOMONIASIS,616t
vaginal,637s,686b,750m
TRICHOTILLOMANIA,635f
TRIDIONE,677u,731-1
TRINITROTOLUENE,733g
TROMBIDIUM,562w,563a
TROPICAL MEDICINE,581u,654o,692i,
717e,748k,750n
epidemiol.& statist.,644s
history,698n
research,747v
TROPICS
hygiene,714-1
TRYPANOSOMA
cruzi,589c
TRYPANOSOMIASIS
epidemiol.& statist.,695c
heart,585m,695g,h
therapy,675r,694c
TSUTSUGAMUSHI DISEASE,577m,649o
eye,714h
vaccine,719d
TUBERCLE BACILLI
biol.,749t
cult.,654s
metab.,719c
TUBERCULIN,585a
therapy,653r
TUBERCULOSIS,584t,v,693b
acute,667j
allergy,750e
blood,581i,587n,617p
bovine,739b
Calmette-Guerin immun.,750c,d
climatol.,581q
clinics,602t
contacts,581j
epidemiol.& statist.,617q,618f,
663s,701g,749v
fluids,708j
heredity,645g
immunity,654g,750c,d
in adolescence,690s
in feebleminded,742m
in infants & children,605g,664n,
709s
in insane,723g
in religious,617w
in schools,653s
in twins,701-1
industrial aspect,602d,712a
insurance,709u
mortality,611k,740f
osteoarthritic,592p,617s,v,743a
pregnancy,617j
prev.& control,587b,648r,658h,i,
658n,695u,711r,728v,749w
rehabilitation,584d,611j,617s,t,
617u,v,618a,b,c,664a
reinfection,749-1
sanatoriums,657a
therapy,578e,694k
tuberculin reactions,578s,617m,
654w,706m,749-1,750e
TUBERCULOSIS PULMONARY,693h,713f
and mycosis,579j
artificial pneumothorax,617n,705d
690-1,705n,746o,749r
blood chem.,704v
cavitation,579h,749s
hemoptysis,594t
in aged,664j
in children,604q,617v,729u
minimal,579j
pathol.,594t,704v,749q
roentgenography,573d,612c,g,
618f,660d,742m,749j
surg.ther.,579h,617i,o,618d,
704p,705d,h,749n,w
therapy,584g,643-1
TULAREMIA
bacteriol.,749a
therapy,655r
TUMORS,566b
adenocanthoma,727-1
adenomas,613d,616t,632m,644d,
663-1,677a
angioma,632n,633h,i,m,634u,657b
666g,689j,702b
chloroma,657v
chylangioma,702b
craniopharyngioma,723j
cylindroma,712n
cystadenoma,712n
dermoid,611v,612n
embryoma,665d,712p
endothelioma,634p
etiol.& pathogen.,741w
Ewing's,659p
experimental,650b
fibroma,633h,i,666e,687d,692t
giant cell.681i
glioma,723r
in animals,566c,751q
lipoma,583s,741p
lymphoblastoma,634n
lymphocytoma,635i
lymphoma,634f
--avian,751q
melanoma,606h,635i
meningioma,579e,660o
mesothelioma,741s
myeloma,643q,712s,741-1
myoblastoma,712q
myoma,566c,638f,692m
neurinoma,586d
neuroma,614e,615a
osteoma,614f,634w
pheochromocytoma,591u,w,592a,c
plasmoma,572a
polypous,712m
seminoma,739v
sympathoblastoma,729s
sympathoma,681h
TUNING FORKS,583f
TURBIDIMETRY,741c
TURKEYS,751s
TWINS,686w
exper.production,680k
TYPHOID BACILLI,710m
TYPHOID
blood,604t
carriers,691h
cpl.& seq.,655g
epidemiol.& statist.,611a,709w,
740b,749f
etiol.& pathogen.,701d
immunity,655n
in infants & children,728q
nutrition,605d

TYPHOID (Cont'd)
therapy,663h,711p
vaccine,655n,720o
wound,586b
TYPHUS,611f
classification,676j
clin.asp.,611g,740e
diagn.,748v,w
epidemiol.& statist.,587g,595f,610i
murine,583-1,676j
prev.& control,611f,661r,740c
therapy,564v
transmission,611g
TYROTHRICIN,667d

UDDER
abnorm.,637m
infl.,642a
ULCERS
therapy,581b,588k,702q,703-1
tropical,666h,697h,701e
ULERYTHEMA ophryogenes,635h
ULTRAVIOLET RADIATION
fungicidal eff.,563k
pharmacal use,676m
UMBILICAL CORD,686u
UNCONSCIOUSNESS,662e
UNDULANT FEVER,577g,642u,647c
blood,642d,664b
cpl.& seq.,642s
diagn.,701p
therapy,689j,740o
URANIUM,718q
URATOMA,589u
UREA
chem.,597p
clearance,696n
eff.,562n
UREMIA
cpl.& seq.,703p
exper.,626i
postoperative,579e,660o
therapy,651r,689p
URETERS,613c
calculi,699b
obstruction,660a
surg.,593j,618k,661u
URETHANE,586b
URETHRA
abnorm.,661v
diverticulum,571n,578o
foreign bod.,717n
infl.,583r
pathol.,618r
prolapse,687b
rupture,647-1
stricture,647-1
wounds & injur.,716j
URIC ACID,623u
URINARY TRACT
calculi,712b,741s
--in animals,751n
URINATION
disorders,625a,663t
frequency,660e
incontinence,590o,685t,706h
var.,625f
URINE
arsenic,751c
ascorbic acid,576-1
bilirubin,638r
chem.,745a
cystine,644v,727w
extravasation,618q
hormones,636w,679i
nitrogen,680e
quinacrine,700c
sugar,637e,663n,p
sulfonamides,575t
therapy,712d
toxicity,707o
UROLOGY
in Cuba,618w
URTICARIA
perianal,650j
pigmentosa,634k
UTERUS
abnorm.,571n,581m,687d
adnexa,588u
cancer,585p,637s,686k,703o,712p
cervix,648p,686f,k
cysts,571m
dis.,697i
displacements,650p,692r
excision,653r,686k
fibroma,692t
fibromyoma,668g
hemorrhage,692t
hydatidiform mole,571-1,684u,712p
inversion,638m,701b
mucus,570w
myoma,638f
perforation,593k
physiol.,625m
prolapse,686r,687c
surgery,644e,686e,692r
tuberculosis,571e,669u,686j
tumors,583s,660a
UVEA
diathermy,723o
UXORICIDE,663a

VACCINES
chromovaccine,740b
inactivated,642h
VAGINA
diagnostic val.,685u
VALINE
determ.,707s
VANILLIN,629h
VARICOSE VEINS,658r
cpl.,652b
surgery,710d
therapy,586q,617e,660f,694c,703-1
VAS DEFERENS
tumors,590m
VASOMOTOR SYSTEM
eff.drugs,572o
pathol.,677s
physiol.,627e,743j
VEINS
saphenous,652b
sclerosis,617e
spasm,644n
stenosis,641c
surgery,710d
umbilical,686u
VENEREAL DISEASES
epidemiol.& statist.,738k,750v
prev.& control,593i,602c,r,619d,641d,660n,685-1,695m,737s,738-1,738n,751d,g,j
therapy,589a,649u
workmen's compensation,751h
VENOM,639i,748-1
scorpions,625n
VERRUCA vulgaris,632n
VERTIGO
aural,726a,d
VERUMONTANUM,646k

VETERANS
dent.serv.,632f
dis.,581u
med.care,701j,710i
neuropsychiatric dischargees,580r
psychol.,574h,710j
VIRUSES
bacterial,623b,678t
dis.,707-f
--in animals,563b,676o
--in plants,562u,563-1,m,n,565e,622f,g,719h
immunity,600r
interference,653e
irradiation,690v
neurotropic,690d
phys.prop.,600v
structure,628g,675r,701s
VISCERA
perfusion,673m
situs inversus,588k,698g,729c
VISCEROTOMY,589u
VISCOSIMETRY,569k,676g
VISION,702t
acuity,609d
chemistry,564w,680f
industrial asp.,641d
tests,724b,725k,729p
VITAL CAPACITY
measurement,626w
VITAL STATISTICS
birth rate,611d
morbidity,568i,582p,691e,738n
mortality,627o,738p
time changes,627m
VITALLIUM,662e
VITAMINS
A, 569r,581b,600e,606-1,633p,635u,636a,645a,672h,696i,j,720u,724m,729t,731e,751n,o,751t
B, 562q,583a,593r,600u,625o,627i,628d,1,636p,642e,650p,671v,675m,q,697p,707w,708c,734m
D, 591c,672h,696h
E, 606m,684k
biol.asp.,674s
eff.,650e
metabolism,710o
therapy,732n
VOCATIONAL GUIDANCE,712e
VOMITING
etiol.& pathol.,647s
psychogenic,722e
VULVA
dis.,605-1,633s
tuberculosis,686j

WALKING,609m
WALKINGTON,THOMAS,687n
WAR
bacteriological,649f,715a
dis.,567q,618f
nutrition,570a,600c,611a,640e
prisoners,566g,570a,578d,578f,593w,601m,669-1,691u,699m,709i,714g,i
psychol.asp.,677b,695v,o,r,696a,c,d,722a
public health asp.,709i
wounds & injur.,743u
WASSERMANN REACTION,691g,711c
WATER
exam.,739i
metab.,625k,1,626g,694v,685a,735-1,747a
pollution,740s,t,741c
purification,741b
softening,596c
supply,740k
toxicity,626n
WATKINS operation,686e
WAXES,732h
WELDING,578i,641i,688k,1,706o
WHEAT
genetics,671i
WHOOPING COUGH
cpl.& seq.,728t
immunity,729r
therapy,589d,711j,728s
WILLGERODT REACTION,630b
WITCHCRAFT,648n
WORKMEN'S COMPENSATION,574u,v,751h
WOUNDED
blood needs,713r
pain,714k
transportation,581e
WOUNDS,669o
gunshot,594-1,745d,n
healing,612s,623g,716-1,744v
infection,586b,658f,714h,716c,716s
therapy,589k,614r,616n,659t,660m,666o,700w,713s,715v,716b,c,e,u,744v,745c,o
WUCHERERIA
vaccine,737i

XANTHINE OXIDASE,654g
XANTHINES
paraxanthine,637c
XANTHOMA,582q
juvenile,634p
multiple,635g
XERODERMA
pigmentosum,634a,s
XEROSTOMIA,632c
XYLENOL,708g

YEAST,675m
genetics,621c
lipid production,562f
YELLOW FEVER
diagn.,589u
epidemiol.& statist.,610h,621k
immunity,589t,747w
virus,748a
YOHIMBINE,596o

ZIMMER CLAMP,717p
ZYMOGEN,620q

NOTICE

Through its Duplicate Exchange Section, the Army Medical Library is prepared to offer medical libraries outside the United States an opportunity to complete their files of American medical publications. In exchange the Library wishes to receive offers of back issues of any of a very large number of foreign periodical publications.

Correspondence regarding exchange of publications should be addressed to

Army Medical Library
Acquisitions Division
7th St.& Independence Av.SW
Washington 25, D.C.